


急傾斜地の崩壊区域調査

様式5-4 平坦部の展開図

調査年度 平成23年度




急傾斜地の崩壊区域調書

様式5-4 平坦部の展開図

調査年度

平成23年度

急傾斜地の位置	箇所番号	I-1067	箇所名	波佐間	所在地	館山市波佐間稲荷前
---------	------	--------	-----	-----	-----	-----------



急傾斜地の崩壊区域調書

様式5-5 危害のおそれのある土地等の座標一覧

調査年度 平成23年度

急傾斜地の位置	箇所番号	I-1067	箇所名	波佐間	所在地	館山市波佐間稲荷前																																																																																																																																																																																					
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="6" style="text-align: center;">危害のおそれのある土地の座標</th> </tr> <tr> <th style="width: 10%;">地点記号</th> <th style="width: 10%;">X(m)</th> <th style="width: 10%;">Y(m)</th> <th style="width: 10%;">地点記号</th> <th style="width: 10%;">X(m)</th> <th style="width: 10%;">Y(m)</th> </tr> </thead> <tbody> <tr><td>Y-1</td><td>-4414.43</td><td>-114055.13</td><td>Y-29</td><td>-4458.14</td><td>-114056.95</td></tr> <tr><td>Y-2</td><td>-4418.45</td><td>-114043.96</td><td>Y-30</td><td>-4441.93</td><td>-114066.03</td></tr> <tr><td>Y-3</td><td>-4429.59</td><td>-114032.32</td><td>Y-31</td><td>-4436.90</td><td>-114070.45</td></tr> <tr><td>Y-4</td><td>-4434.56</td><td>-114019.60</td><td>Y-32</td><td>-4513.38</td><td>-114004.78</td></tr> <tr><td>Y-5</td><td>-4445.12</td><td>-114010.09</td><td>Y-33</td><td>-4509.48</td><td>-114025.29</td></tr> <tr><td>Y-6</td><td>-4440.28</td><td>-113991.16</td><td>Y-34</td><td>-4499.88</td><td>-114031.44</td></tr> <tr><td>Y-7</td><td>-4454.43</td><td>-113984.81</td><td>Y-35</td><td>-4519.63</td><td>-114029.36</td></tr> <tr><td>Y-8</td><td>-4460.67</td><td>-113976.92</td><td>Y-36</td><td>-4509.92</td><td>-114044.58</td></tr> <tr><td>Y-9</td><td>-4469.62</td><td>-113972.06</td><td>Y-37</td><td>-4511.43</td><td>-114044.72</td></tr> <tr><td>Y-10</td><td>-4481.88</td><td>-113974.09</td><td>Y-38</td><td>-4519.41</td><td>-114035.50</td></tr> <tr><td>Y-11</td><td>-4495.49</td><td>-113959.49</td><td>Y-39</td><td>-4535.23</td><td>-114024.69</td></tr> <tr><td>Y-12</td><td>-4513.00</td><td>-113955.60</td><td>Y-40</td><td>-4558.76</td><td>-114018.52</td></tr> <tr><td>Y-13</td><td>-4518.63</td><td>-113972.88</td><td>Y-41</td><td>-4587.54</td><td>-114048.60</td></tr> <tr><td>Y-14</td><td>-4516.48</td><td>-113976.04</td><td>Y-42</td><td>-4565.14</td><td>-114063.47</td></tr> <tr><td>Y-15</td><td>-4509.31</td><td>-113985.13</td><td>Y-43</td><td>-4546.66</td><td>-114070.08</td></tr> <tr><td>Y-16</td><td>-4506.36</td><td>-113991.54</td><td>Y-44</td><td>-4546.64</td><td>-114069.58</td></tr> <tr><td>Y-17</td><td>-4500.22</td><td>-113998.20</td><td>Y-45</td><td>-4546.53</td><td>-114069.62</td></tr> <tr><td>Y-18</td><td>-4493.81</td><td>-114002.55</td><td>Y-46</td><td>-4546.53</td><td>-114070.32</td></tr> <tr><td>Y-19</td><td>-4488.04</td><td>-114005.63</td><td>Y-47</td><td>-4536.68</td><td>-114073.09</td></tr> <tr><td>Y-20</td><td>-4485.49</td><td>-114007.29</td><td>Y-48</td><td>-4527.49</td><td>-114078.01</td></tr> <tr><td>Y-21</td><td>-4481.39</td><td>-114011.14</td><td>Y-49</td><td>-4522.51</td><td>-114081.33</td></tr> <tr><td>Y-22</td><td>-4476.90</td><td>-114016.64</td><td>Y-50</td><td>-4513.77</td><td>-114084.99</td></tr> <tr><td>Y-23</td><td>-4473.44</td><td>-114021.51</td><td>Y-51</td><td>-4506.93</td><td>-114089.22</td></tr> <tr><td>Y-24</td><td>-4469.72</td><td>-114027.28</td><td>Y-52</td><td>-4497.35</td><td>-114093.44</td></tr> <tr><td>Y-25</td><td>-4467.42</td><td>-114032.78</td><td>Y-53</td><td>-4492.96</td><td>-114095.86</td></tr> <tr><td>Y-26</td><td>-4466.27</td><td>-114039.19</td><td>Y-54</td><td>-4482.90</td><td>-114068.82</td></tr> <tr><td>Y-27</td><td>-4464.98</td><td>-114045.47</td><td>Y-55</td><td>-4469.97</td><td>-114063.42</td></tr> <tr><td>Y-28</td><td>-4464.45</td><td>-114048.54</td><td>Y-56</td><td>-4463.61</td><td>-114053.25</td></tr> </tbody> </table>								危害のおそれのある土地の座標						地点記号	X(m)	Y(m)	地点記号	X(m)	Y(m)	Y-1	-4414.43	-114055.13	Y-29	-4458.14	-114056.95	Y-2	-4418.45	-114043.96	Y-30	-4441.93	-114066.03	Y-3	-4429.59	-114032.32	Y-31	-4436.90	-114070.45	Y-4	-4434.56	-114019.60	Y-32	-4513.38	-114004.78	Y-5	-4445.12	-114010.09	Y-33	-4509.48	-114025.29	Y-6	-4440.28	-113991.16	Y-34	-4499.88	-114031.44	Y-7	-4454.43	-113984.81	Y-35	-4519.63	-114029.36	Y-8	-4460.67	-113976.92	Y-36	-4509.92	-114044.58	Y-9	-4469.62	-113972.06	Y-37	-4511.43	-114044.72	Y-10	-4481.88	-113974.09	Y-38	-4519.41	-114035.50	Y-11	-4495.49	-113959.49	Y-39	-4535.23	-114024.69	Y-12	-4513.00	-113955.60	Y-40	-4558.76	-114018.52	Y-13	-4518.63	-113972.88	Y-41	-4587.54	-114048.60	Y-14	-4516.48	-113976.04	Y-42	-4565.14	-114063.47	Y-15	-4509.31	-113985.13	Y-43	-4546.66	-114070.08	Y-16	-4506.36	-113991.54	Y-44	-4546.64	-114069.58	Y-17	-4500.22	-113998.20	Y-45	-4546.53	-114069.62	Y-18	-4493.81	-114002.55	Y-46	-4546.53	-114070.32	Y-19	-4488.04	-114005.63	Y-47	-4536.68	-114073.09	Y-20	-4485.49	-114007.29	Y-48	-4527.49	-114078.01	Y-21	-4481.39	-114011.14	Y-49	-4522.51	-114081.33	Y-22	-4476.90	-114016.64	Y-50	-4513.77	-114084.99	Y-23	-4473.44	-114021.51	Y-51	-4506.93	-114089.22	Y-24	-4469.72	-114027.28	Y-52	-4497.35	-114093.44	Y-25	-4467.42	-114032.78	Y-53	-4492.96	-114095.86	Y-26	-4466.27	-114039.19	Y-54	-4482.90	-114068.82	Y-27	-4464.98	-114045.47	Y-55	-4469.97	-114063.42	Y-28	-4464.45	-114048.54	Y-56	-4463.61	-114053.25
危害のおそれのある土地の座標																																																																																																																																																																																											
地点記号	X(m)	Y(m)	地点記号	X(m)	Y(m)																																																																																																																																																																																						
Y-1	-4414.43	-114055.13	Y-29	-4458.14	-114056.95																																																																																																																																																																																						
Y-2	-4418.45	-114043.96	Y-30	-4441.93	-114066.03																																																																																																																																																																																						
Y-3	-4429.59	-114032.32	Y-31	-4436.90	-114070.45																																																																																																																																																																																						
Y-4	-4434.56	-114019.60	Y-32	-4513.38	-114004.78																																																																																																																																																																																						
Y-5	-4445.12	-114010.09	Y-33	-4509.48	-114025.29																																																																																																																																																																																						
Y-6	-4440.28	-113991.16	Y-34	-4499.88	-114031.44																																																																																																																																																																																						
Y-7	-4454.43	-113984.81	Y-35	-4519.63	-114029.36																																																																																																																																																																																						
Y-8	-4460.67	-113976.92	Y-36	-4509.92	-114044.58																																																																																																																																																																																						
Y-9	-4469.62	-113972.06	Y-37	-4511.43	-114044.72																																																																																																																																																																																						
Y-10	-4481.88	-113974.09	Y-38	-4519.41	-114035.50																																																																																																																																																																																						
Y-11	-4495.49	-113959.49	Y-39	-4535.23	-114024.69																																																																																																																																																																																						
Y-12	-4513.00	-113955.60	Y-40	-4558.76	-114018.52																																																																																																																																																																																						
Y-13	-4518.63	-113972.88	Y-41	-4587.54	-114048.60																																																																																																																																																																																						
Y-14	-4516.48	-113976.04	Y-42	-4565.14	-114063.47																																																																																																																																																																																						
Y-15	-4509.31	-113985.13	Y-43	-4546.66	-114070.08																																																																																																																																																																																						
Y-16	-4506.36	-113991.54	Y-44	-4546.64	-114069.58																																																																																																																																																																																						
Y-17	-4500.22	-113998.20	Y-45	-4546.53	-114069.62																																																																																																																																																																																						
Y-18	-4493.81	-114002.55	Y-46	-4546.53	-114070.32																																																																																																																																																																																						
Y-19	-4488.04	-114005.63	Y-47	-4536.68	-114073.09																																																																																																																																																																																						
Y-20	-4485.49	-114007.29	Y-48	-4527.49	-114078.01																																																																																																																																																																																						
Y-21	-4481.39	-114011.14	Y-49	-4522.51	-114081.33																																																																																																																																																																																						
Y-22	-4476.90	-114016.64	Y-50	-4513.77	-114084.99																																																																																																																																																																																						
Y-23	-4473.44	-114021.51	Y-51	-4506.93	-114089.22																																																																																																																																																																																						
Y-24	-4469.72	-114027.28	Y-52	-4497.35	-114093.44																																																																																																																																																																																						
Y-25	-4467.42	-114032.78	Y-53	-4492.96	-114095.86																																																																																																																																																																																						
Y-26	-4466.27	-114039.19	Y-54	-4482.90	-114068.82																																																																																																																																																																																						
Y-27	-4464.98	-114045.47	Y-55	-4469.97	-114063.42																																																																																																																																																																																						
Y-28	-4464.45	-114048.54	Y-56	-4463.61	-114053.25																																																																																																																																																																																						
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="6" style="text-align: center;">著しい危害のおそれのある土地の座標</th> </tr> <tr> <th style="width: 10%;">地点記号</th> <th style="width: 10%;">X(m)</th> <th style="width: 10%;">Y(m)</th> <th style="width: 10%;">地点記号</th> <th style="width: 10%;">X(m)</th> <th style="width: 10%;">Y(m)</th> </tr> </thead> <tbody> <tr><td>R-1</td><td>-4419.25</td><td>-114058.42</td><td>R-29</td><td>-4514.85</td><td>-114057.70</td></tr> <tr><td>R-2</td><td>-4423.78</td><td>-114048.97</td><td>R-30</td><td>-4526.05</td><td>-114049.96</td></tr> <tr><td>R-3</td><td>-4436.78</td><td>-114038.78</td><td>R-31</td><td>-4540.73</td><td>-114040.48</td></tr> <tr><td>R-4</td><td>-4444.25</td><td>-114028.43</td><td>R-32</td><td>-4556.25</td><td>-114034.47</td></tr> <tr><td>R-5</td><td>-4455.61</td><td>-114017.78</td><td>R-33</td><td>-4574.41</td><td>-114057.31</td></tr> <tr><td>R-6</td><td>-4456.56</td><td>-114006.75</td><td>R-34</td><td>-4567.7</td><td>-114061.77</td></tr> <tr><td>R-7</td><td>-4470.80</td><td>-114006.07</td><td>R-35</td><td>-4561.09</td><td>-114064.92</td></tr> <tr><td>R-8</td><td>-4488.55</td><td>-113979.83</td><td>R-36</td><td>-4553.2</td><td>-114052.21</td></tr> <tr><td>R-9</td><td>-4502.91</td><td>-113966.62</td><td>R-37</td><td>-4545.79</td><td>-114055.33</td></tr> <tr><td>R-10</td><td>-4515.66</td><td>-113963.74</td><td>R-38</td><td>-4530.87</td><td>-114060.44</td></tr> <tr><td>R-11</td><td>-4516.10</td><td>-113965.11</td><td>R-39</td><td>-4519.9</td><td>-114065.81</td></tr> <tr><td>R-12</td><td>-4508.37</td><td>-113971.87</td><td>R-40</td><td>-4500.13</td><td>-114084.10</td></tr> <tr><td>R-13</td><td>-4495.00</td><td>-113985.38</td><td>R-41</td><td>-4493.44</td><td>-114059.36</td></tr> <tr><td>R-14</td><td>-4489.00</td><td>-114000.85</td><td>R-42</td><td>-4482.58</td><td>-114050.11</td></tr> <tr><td>R-15</td><td>-4483.46</td><td>-114005.41</td><td>R-43</td><td>-4477.61</td><td>-114040.88</td></tr> <tr><td>R-16</td><td>-4476.68</td><td>-114013.17</td><td>R-44</td><td>-4482.66</td><td>-114025.00</td></tr> <tr><td>R-17</td><td>-4469.63</td><td>-114019.08</td><td>R-45</td><td>-4493.08</td><td>-114015.50</td></tr> <tr><td>R-18</td><td>-4453.89</td><td>-114037.20</td><td>R-46</td><td>-4504.04</td><td>-114000.21</td></tr> <tr><td>R-19</td><td>-4445.09</td><td>-114046.24</td><td></td><td></td><td></td></tr> <tr><td>R-20</td><td>-4429.63</td><td>-114054.47</td><td></td><td></td><td></td></tr> <tr><td>R-21</td><td>-4423.36</td><td>-114061.22</td><td></td><td></td><td></td></tr> <tr><td>R-22</td><td>-4506.93</td><td>-114001.63</td><td></td><td></td><td></td></tr> <tr><td>R-23</td><td>-4499.17</td><td>-114019.14</td><td></td><td></td><td></td></tr> <tr><td>R-24</td><td>-4487.78</td><td>-114027.73</td><td></td><td></td><td></td></tr> <tr><td>R-25</td><td>-4488.17</td><td>-114035.96</td><td></td><td></td><td></td></tr> <tr><td>R-26</td><td>-4502.41</td><td>-114038.50</td><td></td><td></td><td></td></tr> <tr><td>R-27</td><td>-4500.66</td><td>-114052.89</td><td></td><td></td><td></td></tr> <tr><td>R-28</td><td>-4507.49</td><td>-114063.55</td><td></td><td></td><td></td></tr> </tbody> </table>								著しい危害のおそれのある土地の座標						地点記号	X(m)	Y(m)	地点記号	X(m)	Y(m)	R-1	-4419.25	-114058.42	R-29	-4514.85	-114057.70	R-2	-4423.78	-114048.97	R-30	-4526.05	-114049.96	R-3	-4436.78	-114038.78	R-31	-4540.73	-114040.48	R-4	-4444.25	-114028.43	R-32	-4556.25	-114034.47	R-5	-4455.61	-114017.78	R-33	-4574.41	-114057.31	R-6	-4456.56	-114006.75	R-34	-4567.7	-114061.77	R-7	-4470.80	-114006.07	R-35	-4561.09	-114064.92	R-8	-4488.55	-113979.83	R-36	-4553.2	-114052.21	R-9	-4502.91	-113966.62	R-37	-4545.79	-114055.33	R-10	-4515.66	-113963.74	R-38	-4530.87	-114060.44	R-11	-4516.10	-113965.11	R-39	-4519.9	-114065.81	R-12	-4508.37	-113971.87	R-40	-4500.13	-114084.10	R-13	-4495.00	-113985.38	R-41	-4493.44	-114059.36	R-14	-4489.00	-114000.85	R-42	-4482.58	-114050.11	R-15	-4483.46	-114005.41	R-43	-4477.61	-114040.88	R-16	-4476.68	-114013.17	R-44	-4482.66	-114025.00	R-17	-4469.63	-114019.08	R-45	-4493.08	-114015.50	R-18	-4453.89	-114037.20	R-46	-4504.04	-114000.21	R-19	-4445.09	-114046.24				R-20	-4429.63	-114054.47				R-21	-4423.36	-114061.22				R-22	-4506.93	-114001.63				R-23	-4499.17	-114019.14				R-24	-4487.78	-114027.73				R-25	-4488.17	-114035.96				R-26	-4502.41	-114038.50				R-27	-4500.66	-114052.89				R-28	-4507.49	-114063.55			
著しい危害のおそれのある土地の座標																																																																																																																																																																																											
地点記号	X(m)	Y(m)	地点記号	X(m)	Y(m)																																																																																																																																																																																						
R-1	-4419.25	-114058.42	R-29	-4514.85	-114057.70																																																																																																																																																																																						
R-2	-4423.78	-114048.97	R-30	-4526.05	-114049.96																																																																																																																																																																																						
R-3	-4436.78	-114038.78	R-31	-4540.73	-114040.48																																																																																																																																																																																						
R-4	-4444.25	-114028.43	R-32	-4556.25	-114034.47																																																																																																																																																																																						
R-5	-4455.61	-114017.78	R-33	-4574.41	-114057.31																																																																																																																																																																																						
R-6	-4456.56	-114006.75	R-34	-4567.7	-114061.77																																																																																																																																																																																						
R-7	-4470.80	-114006.07	R-35	-4561.09	-114064.92																																																																																																																																																																																						
R-8	-4488.55	-113979.83	R-36	-4553.2	-114052.21																																																																																																																																																																																						
R-9	-4502.91	-113966.62	R-37	-4545.79	-114055.33																																																																																																																																																																																						
R-10	-4515.66	-113963.74	R-38	-4530.87	-114060.44																																																																																																																																																																																						
R-11	-4516.10	-113965.11	R-39	-4519.9	-114065.81																																																																																																																																																																																						
R-12	-4508.37	-113971.87	R-40	-4500.13	-114084.10																																																																																																																																																																																						
R-13	-4495.00	-113985.38	R-41	-4493.44	-114059.36																																																																																																																																																																																						
R-14	-4489.00	-114000.85	R-42	-4482.58	-114050.11																																																																																																																																																																																						
R-15	-4483.46	-114005.41	R-43	-4477.61	-114040.88																																																																																																																																																																																						
R-16	-4476.68	-114013.17	R-44	-4482.66	-114025.00																																																																																																																																																																																						
R-17	-4469.63	-114019.08	R-45	-4493.08	-114015.50																																																																																																																																																																																						
R-18	-4453.89	-114037.20	R-46	-4504.04	-114000.21																																																																																																																																																																																						
R-19	-4445.09	-114046.24																																																																																																																																																																																									
R-20	-4429.63	-114054.47																																																																																																																																																																																									
R-21	-4423.36	-114061.22																																																																																																																																																																																									
R-22	-4506.93	-114001.63																																																																																																																																																																																									
R-23	-4499.17	-114019.14																																																																																																																																																																																									
R-24	-4487.78	-114027.73																																																																																																																																																																																									
R-25	-4488.17	-114035.96																																																																																																																																																																																									
R-26	-4502.41	-114038.50																																																																																																																																																																																									
R-27	-4500.66	-114052.89																																																																																																																																																																																									
R-28	-4507.49	-114063.55																																																																																																																																																																																									

