

表6. 初回治療内容割合 (%) : 部位別

A. 上皮内がんを除く

千葉県

2019年

部位	ICD-10	集計対象数 *1	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他 の治療	治療なし ・不明
全部位	C00-C96	46,485	28.2	17.9	9.8	10.7	29.0	11.9	2.1	22.7
口腔・咽頭	C00-C14	1,167	46.5	0.3	4.5	31.8	26.0	0.3	0.3	21.9
食道	C15	1,354	9.9	15.4	26.9	22.6	38.5	0.0	0.4	23.0
胃	C16	5,765	18.4	16.9	37.1	0.5	21.5	0.1	0.3	19.7
大腸 (結腸・直腸)	C18-C20	7,033	24.7	42.4	15.0	2.1	30.1	0.1	0.5	16.2
結腸	C18	4,524	27.6	41.2	14.0	0.5	28.1	0.0	0.6	16.7
直腸	C19-C20	2,509	19.4	44.6	16.9	4.9	33.6	0.1	0.4	15.3
肝および肝内胆管	C22	1,483	16.5	5.3	0.1	2.7	25.5	0.1	27.9	39.3
胆のう・胆管	C23-C24	924	37.1	4.1	0.2	1.3	25.9	0.0	1.3	44.8
膵臓	C25	1,984	23.1	2.2	0.2	2.0	52.1	0.1	0.8	38.4
喉頭	C32	249	22.1	0.8	10.8	54.6	16.5	0.0	5.6	16.1
肺	C33-C34	5,573	6.9	29.2	0.1	14.9	35.9	0.0	0.6	31.1
皮膚	C43-C44	1,169	89.4	0.1	0.0	2.2	2.1	0.1	0.9	8.3
乳房 (女性のみ)	C50	4,839	78.9	1.5	0.1	31.4	32.3	59.5	1.0	10.2
乳房 (女性のみ)	C50	4,806	78.8	1.6	0.1	31.5	32.4	59.4	1.0	10.2
子宮	C53-C55	1,409	56.0	14.0	0.3	17.7	38.1	1.7	0.1	13.1
子宮頸部	C53	496	42.3	5.0	0.4	47.2	47.2	0.2	0.2	14.5
子宮体部	C54	900	64.3	19.1	0.2	1.7	33.6	2.6	0.1	11.2
卵巣	C56	726	74.9	3.2	0.0	0.1	48.3	0.4	0.4	17.4
前立腺	C61	4,838	5.0	21.9	1.1	12.2	2.1	51.2	0.5	21.7
膀胱	C67	1,111	10.5	9.9	71.2	4.4	40.3	1.3	22.5	18.3
腎・尿路 (膀胱除く)	C64-C66 C68	1,431	14.5	50.5	0.8	2.2	14.3	0.0	1.1	25.2
脳・中枢神経系	C70-C72	267	62.2	0.0	0.0	46.8	47.9	0.4	1.9	30.3
甲状腺	C73	761	68.9	0.4	0.1	8.3	1.1	7.8	0.1	28.5
悪性リンパ腫	C81-C85 C96	1,661	6.1	1.3	0.2	10.0	64.0	1.6	0.9	27.8
多発性骨髄腫	C88-C90	387	1.8	0.5	0.0	4.9	65.1	1.6	1.0	32.0
白血病	C91-C95	636	0.0	0.0	0.0	2.5	74.4	0.6	2.7	25.2

*1 DC0を除く総数

重複を含むため合計は100%にならない

表6. 初回治療内容割合 (%) : 部位別

B. 上皮内がんを含む

千葉県 2019年

部位	ICD-10	集計対象数 *1	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他 の治療	治療なし ・不明
全部位	C00-C96 D00-D09	52,110	28.6	16.9	14.5	10.0	26.6	10.9	2.4	20.8
食道	C15 D001	1,511	9.0	13.8	32.4	20.5	34.6	0.0	0.7	22.0
大腸 (結腸・直腸) *2	C18-C20 D010-D012	9,180	19.2	33.6	33.4	1.6	23.0	0.1	0.4	12.6
結腸 *2	C18 D010	6,053	20.9	32.0	34.1	0.4	21.0	0.0	0.5	12.7
直腸 *2	C19-C20 D011-D012	3,127	16.0	36.8	31.8	4.0	27.0	0.1	0.4	12.4
肺	C33-C34 D021-D022	5,678	6.9	30.4	0.1	14.7	35.3	0.0	0.7	30.5
皮膚	C43-C44 D030-D049	1,484	88.8	0.1	0.0	2.0	1.8	0.1	2.3	7.9
乳房	C50 D05	5,460	80.0	1.8	0.1	31.7	28.9	55.2	1.0	9.6
乳房 (女性のみ)	C50 D05	5,425	80.0	1.8	0.1	31.8	28.9	55.1	1.0	9.6
子宮	C53-C55 D06	2,311	66.0	10.9	0.4	10.8	23.3	1.1	0.4	12.5
子宮頸部	C53 D06	1,398	67.7	5.7	0.5	16.8	16.9	0.1	0.6	12.7
膀胱	C67 D090	2,002	6.3	7.1	79.6	2.5	40.2	1.3	23.3	11.7

*1 DCOを除く総数

*2 粘膜がんを含む

重複を含むため合計は100%にならない

表7. 外科的・鏡視下・内視鏡的治療の範囲(%) : 部位別

A. 上皮内がんを除く

千葉県

2019年

部位	ICD-10	集計対象数 *1	腫瘍遺残なし	腫瘍遺残あり	不明
全部位	C00-C96	25,332	87.0	11.3	1.7
口腔・咽頭	C00-C14	597	85.6	10.7	3.7
食道	C15	681	89.6	9.1	1.3
胃	C16	4,019	92.8	6.1	1.1
大腸(結腸・直腸)	C18-C20	5,471	90.0	9.1	0.9
結腸	C18	3,547	89.4	9.7	0.9
直腸	C19-C20	1,924	91.0	8.1	0.9
肝および肝内胆管	C22	324	87.3	11.4	1.2
胆のう・胆管	C23-C24	369	78.6	19.2	2.2
膵臓	C25	504	82.7	14.7	2.6
喉頭	C32	84	82.1	10.7	7.1
肺	C33-C34	2,015	93.2	6.0	0.8
皮膚	C43-C44	1,045	96.1	3.2	0.8
乳房	C50	3,888	93.3	5.6	1.2
乳房(女性のみ)	C50	3,860	93.3	5.5	1.2
子宮	C53-C55	986	91.3	7.0	1.7
子宮頸部	C53	236	85.2	11.0	3.8
子宮体部	C54	750	93.2	5.7	1.1
卵巣	C56	561	76.6	18.0	5.3
前立腺	C61	1,352	76.3	20.9	2.7
膀胱	C67	877	36.5	59.0	4.6
腎・尿路(膀胱除く)	C64-C66 C68	933	90.8	6.8	2.5
脳・中枢神経系	C70-C72	166	31.3	63.3	5.4
甲状腺	C73	527	86.0	12.9	1.1
悪性リンパ腫	C81-C85 C96	126	46.8	51.6	1.6
多発性骨髄腫	C88-C90	9	55.6	33.3	11.1
白血病	C91-C95	0	.	.	.

*1 外科的、鏡視下、内視鏡的治療のいずれかが「1:あり」 DC0を除く総数

表7. 外科的・鏡視下・内視鏡的治療の範囲(%) : 部位別

B. 上皮内がんを含む

千葉県

2019年

部位	ICD-10	集計対象数 *1	腫瘍遺残なし	腫瘍遺残あり	不明
全部位	C00-C96 D00-D09	30,574	88.2	10.0	1.8
食道	C15 D001	810	90.5	8.1	1.4
大腸 (結腸・直腸) *2	C18-C20 D010-D012	7,597	92.0	6.8	1.2
結腸 *2	C18 D010	5,061	91.8	7.1	1.1
直腸 *2	C19-C20 D011-D012	2,536	92.4	6.3	1.3
肺	C33-C34 D021-D022	2,118	93.5	5.7	0.8
皮膚	C43-C44 D030-D049	1,318	96.3	3.0	0.7
乳房	C50 D05	4,461	93.3	5.6	1.1
乳房 (女性のみ)	C50 D05	4,431	93.3	5.6	1.1
子宮	C53-C55 D06	1,775	91.4	5.9	2.8
子宮頸部	C53 D06	1,025	90.0	6.0	4.0
膀胱	C67 D090	1,717	60.6	34.8	4.6

*1 外科的、鏡視下、内視鏡的治療のいずれかが「1:あり」 DC0を除く総数

*2 粘膜がんを含む

表8. 精度指標：部位別、性別

A. 上皮内がんを除く

千葉県

2019年

部位	ICD-10		死亡／罹患比 (MI比)		死亡情報のみの症例「がん」が確認された症例 DCI (%)		死亡情報のみの症例 DC0 (%)		病理学的裏付けのある症例 MV (%)		組織学的裏付けのある症例 HV (%)	
	男	女	男	女	男	女	男	女	男	女	男	女
全部位	0.39	0.35	0.37	2.6	3.1	1.4	1.9	1.6	87.2	87.9	87.5	84.7
口腔・咽頭	0.32	0.28	0.31	1.2	1.4	0.7	0.9	0.8	95.7	94.3	95.3	92.9
食道	0.42	0.42	0.42	1.9	2.0	1.2	1.5	1.2	96.0	95.1	95.8	95.6
胃	0.33	0.39	0.35	2.0	2.7	0.9	2.3	1.3	96.8	92.9	95.7	95.5
大腸(結腸・直腸)	0.32	0.34	0.32	2.4	3.0	1.3	2.2	1.7	94.4	90.1	92.6	92.5
結腸	0.33	0.37	0.35	2.4	4.8	1.4	2.6	1.9	93.6	88.6	91.4	91.2
直腸	0.29	0.27	0.28	2.3	2.2	1.3	1.1	1.3	95.6	93.5	94.9	94.8
肝および肝内胆管	0.70	0.72	0.71	6.1	7.2	3.0	5.4	3.7	41.7	34.7	39.7	39.0
胆のう・胆管	0.86	0.81	0.84	5.2	10.0	2.7	5.2	3.9	74.7	60.8	68.4	60.6
膵臓	0.77	0.83	0.80	4.6	7.5	1.7	3.3	2.4	66.2	61.7	64.1	57.4
喉頭	0.18	0.00	0.17	0.4	0.4	0.4	0.0	0.4	92.6	100.0	93.2	92.8
肺	0.65	0.51	0.61	4.4	4.7	2.2	3.2	2.5	78.2	77.7	78.0	69.7
皮膚	0.07	0.08	0.08	0.5	0.4	0.3	0.2	0.3	97.8	98.3	98.0	98.0
乳房	0.18	0.15	0.15	0.0	1.1	0.0	0.8	0.8	100.0	96.3	96.3	95.8
子宮	-	0.25	0.25	-	1.8	-	0.8	0.8	-	96.5	96.5	95.2
子宮頸部	-	0.31	0.31	-	0.4	-	0.2	0.2	-	97.2	97.2	95.4
子宮体部	-	0.15	0.15	-	1.8	-	0.8	0.8	-	97.4	97.4	96.3
卵巣	-	0.35	0.35	-	3.8	-	1.6	1.6	-	90.5	90.5	86.9
前立腺	0.13	-	0.13	1.5	-	1.1	-	1.1	89.3	-	89.3	89.1
膀胱	0.34	0.47	0.37	2.1	4.8	1.5	1.2	1.4	91.3	81.9	89.3	83.8
腎・尿路(膀胱除く)	0.29	0.36	0.31	1.7	5.4	0.7	3.5	1.5	81.4	77.3	80.2	76.9
脳・中枢神経系	0.60	0.50	0.56	1.2	3.0	0.6	1.0	0.7	77.4	74.3	76.2	76.2
甲状腺	0.11	0.10	0.10	0.0	0.9	0.0	0.5	0.4	97.2	95.6	96.1	80.9
悪性リンパ腫	0.39	0.32	0.36	2.1	2.5	1.1	1.0	1.1	95.8	95.8	95.8	93.3
多発性骨髄腫	0.48	0.54	0.51	2.4	8.3	1.4	5.7	3.5	93.8	85.4	89.8	85.8
白血病	0.58	0.57	0.58	3.2	4.1	1.5	1.2	1.4	96.5	95.1	96.0	80.9

*1 総数は男女および性別不詳の合計

表8. 精度指標：部位別、性別

B. 上皮内がんを含む

千葉県

2019年

部位	ICD-10	死亡／罹患比 (MI比)		死亡情報のみの症例「がん」が確認された症例 DCI (%)		死亡情報のみの症例 DC0 (%)		病理学的裏付けのある症例 MV (%)		組織学的裏付けのある症例 HV (%)		
		男	女	男	女	男	女	男	女	男	女	
全部位		0.35	0.30	0.33	2.4	3.2	2.7	1.4	88.4	89.4	85.9	86.3
食道	C00-C96 D00-D09	0.38	0.37	0.38	1.7	2.1	1.8	1.1	96.4	95.7	96.1	96.1
大腸 (結腸・直腸) *2	C18-C20 D010-D012	0.24	0.27	0.25	1.8	3.2	2.3	1.3	95.8	92.0	95.7	94.2
結腸 *2	C18 D010	0.24	0.29	0.26	1.8	3.8	2.6	1.4	95.4	90.9	95.2	93.4
直腸 *2	C19-C20 D011-D012	0.23	0.22	0.23	1.8	1.6	1.8	1.0	96.5	94.7	96.5	94.7
肺	C33-C34 D021-D022	0.65	0.50	0.60	4.3	5.4	4.7	2.2	78.4	78.4	69.8	71.2
皮膚	C43-C44 D030-D049	0.06	0.06	0.06	0.4	0.3	0.3	0.3	98.2	98.6	98.2	98.6
乳房	C50 D05	0.17	0.13	0.13	0.0	1.0	1.0	0.7	100.0	96.7	100.0	96.2
子宮	C53-C55 D06	-	0.16	0.16	-	1.1	1.1	-	-	97.9	-	96.8
子宮頸部	C53 D06	-	0.11	0.11	-	0.1	0.1	-	-	99.0	-	97.9
膀胱	C67 D090	0.18	0.29	0.21	1.1	2.9	1.5	0.8	95.3	89.0	91.5	85.6

*1 総数は男女および性別不詳の合計

*2 粘膜がんを含む

表9. 死亡数、部位割合(%)、粗死亡率(人口10万対)、年齢調整死亡率(人口10万対)、累積死亡率(%) : 部位別、性別

千葉県

2019年

部位	死亡数										部位割合					粗死亡率					年齢調整死亡率					世界人口							
	I0D-10		男		女		総数 *1		男		女		総数 *1		男		女		総数 *1		男		女		総数 *1		男		女		総数 *1		
	ICD-10	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1		
全部位	600-C97	10,675	6,765	17,440	100.0	100.0	100.0	349.9	218.9	284.0	146.9	81.9	111.1	99.5	57.8	76.5	10.6	6.0	8.2	10.6	6.0	8.2	10.6	6.0	8.2	10.6	6.0	8.2	10.6	6.0	8.2		
口腔・咽頭	C00-C14	271	89	360	2.5	1.3	2.1	8.9	2.9	5.9	4.1	0.9	2.4	2.9	0.6	1.7	0.3	0.0	0.2	2.9	0.6	1.7	0.3	0.0	0.2	2.9	0.6	1.7	0.3	0.0	0.2		
食道	C15	487	86	573	4.6	1.3	3.3	16.0	2.8	9.3	7.1	1.1	3.9	4.8	0.8	2.7	0.6	0.1	0.3	4.8	0.8	2.7	0.6	0.1	0.3	4.8	0.8	2.7	0.6	0.1	0.3		
胃	C16	1,385	655	2,040	13.0	9.7	11.7	45.4	21.2	33.2	18.6	6.9	12.3	12.3	4.8	8.2	1.3	0.5	0.9	12.3	4.8	8.2	1.3	0.5	0.9	12.3	4.8	8.2	1.3	0.5	0.9		
大腸(結腸・直腸)	C18-C20	1,334	989	2,323	12.5	14.6	13.3	43.7	32.0	37.8	19.3	10.7	14.7	13.4	7.4	10.2	1.5	0.7	1.1	13.4	7.4	10.2	1.5	0.7	1.1	13.4	7.4	10.2	1.5	0.7	1.1		
結腸	C18	853	747	1,600	8.0	11.0	9.2	28.0	24.2	26.1	11.9	7.7	9.7	8.1	5.4	6.7	0.8	0.5	0.7	8.1	5.4	6.7	0.8	0.5	0.7	8.1	5.4	6.7	0.8	0.5	0.7		
直腸	C19-C20	481	242	723	4.5	3.6	4.1	15.8	7.8	11.8	7.4	3.0	5.0	5.3	2.1	3.6	0.6	0.2	0.4	5.3	2.1	3.6	0.6	0.2	0.4	5.3	2.1	3.6	0.6	0.2	0.4		
肝および肝内胆管	C22	769	320	1,089	7.2	4.7	6.2	25.2	10.4	17.7	10.6	2.8	6.5	7.3	1.8	4.4	0.8	0.2	0.5	7.3	1.8	4.4	0.8	0.2	0.5	7.3	1.8	4.4	0.8	0.2	0.5		
胆のう・胆管	C23-C24	447	356	803	4.2	5.3	4.6	14.7	11.5	13.1	5.7	3.3	4.4	3.8	2.2	2.9	0.4	0.2	0.3	3.8	2.2	2.9	0.4	0.2	0.3	3.8	2.2	2.9	0.4	0.2	0.3		
膵臓	C25	862	764	1,626	8.1	11.3	9.3	28.3	24.7	26.5	12.9	8.6	10.6	8.9	5.8	7.3	1.0	0.6	0.8	8.9	5.8	7.3	1.0	0.6	0.8	8.9	5.8	7.3	1.0	0.6	0.8		
喉頭	C32	42	0	42	0.4	0.0	0.2	1.4	0.0	0.7	0.5	0.0	0.3	0.4	0.0	0.2	0.0	0.0	0.0	0.4	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
肺	C33-C34	2,570	915	3,485	24.1	13.5	20.0	84.2	29.6	56.7	34.5	9.6	21.1	22.9	6.4	14.0	2.5	0.7	1.6	22.9	6.4	14.0	2.5	0.7	1.6	22.9	6.4	14.0	2.5	0.7	1.6		
皮膚	C43-C44	47	41	88	0.4	0.6	0.5	1.5	1.3	1.4	0.7	0.6	0.6	0.5	0.4	0.5	0.1	0.0	0.0	0.5	0.4	0.5	0.1	0.0	0.0	0.5	0.4	0.5	0.1	0.0	0.0		
乳房	C50	6	735	741	0.1	10.9	4.2	0.2	23.8	12.1	0.1	12.6	6.4	0.1	9.4	4.8	0.0	1.1	0.5	0.1	12.6	6.4	4.8	0.0	1.1	0.5	0.1	12.6	6.4	4.8	0.0	1.1	0.5
子宮	C53-C55	-	360	360	-	5.3	2.1	-	11.7	-	-	6.6	-	-	4.9	-	-	0.5	-	-	6.6	-	4.9	-	-	0.5	-	-	4.9	-	-		
子宮頸部	C53	-	155	155	-	2.3	0.9	-	5.0	-	-	3.3	-	-	2.5	-	-	0.3	-	-	3.3	-	2.5	-	-	0.3	-	-	2.5	-	-		
子宮体部	C54	-	132	132	-	2.0	0.8	-	4.3	-	-	2.0	-	-	1.5	-	-	0.2	-	-	2.0	-	1.5	-	-	0.2	-	-	1.5	-	-		
卵巢	C56	-	255	255	-	3.8	1.5	-	8.3	-	-	4.8	-	-	3.5	-	-	0.4	-	-	4.8	-	3.5	-	-	0.4	-	-	3.5	-	-		
前立腺	C61	622	-	622	5.8	-	3.6	20.4	-	-	6.9	-	-	4.4	-	-	0.3	-	-	-	-	4.4	-	-	0.3	-	-	-	-	-	-		
膀胱	C67	296	118	414	2.8	1.7	2.4	9.7	3.8	6.7	3.4	1.0	2.1	2.3	0.7	1.4	0.2	0.1	0.1	2.3	0.7	1.4	0.2	0.1	0.1	2.3	0.7	1.4	0.2	0.1	0.1		
腎・尿管(膀胱除く)	C64-C66 C68	297	154	451	2.8	2.3	2.6	9.7	5.0	7.3	3.7	1.5	2.5	2.4	1.0	1.6	0.2	0.1	0.1	2.4	1.0	1.6	0.2	0.1	0.1	2.4	1.0	1.6	0.2	0.1	0.1		
脳・中枢神経系	C70-C72	100	50	150	0.9	0.7	0.9	3.3	1.6	2.4	2.4	1.1	1.7	2.0	0.9	1.5	0.2	0.1	0.1	1.1	1.7	2.0	0.9	0.9	1.1	2.0	0.9	1.5	0.2	0.1	0.1		
甲状腺	C73	24	56	80	0.2	0.8	0.5	0.8	1.8	1.3	0.3	0.5	0.5	0.2	0.4	0.3	0.0	0.0	0.0	0.3	0.5	0.5	0.2	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0		
悪性リンパ腫	C81-C85 C96	356	241	597	3.3	3.6	3.4	11.7	7.8	9.7	4.8	2.5	3.5	3.2	1.7	2.4	0.3	0.1	0.2	3.2	1.7	2.4	0.3	0.1	0.2	3.2	1.7	2.4	0.3	0.1	0.2		
多発性骨髄腫	C88-C90	101	103	204	0.9	1.5	1.2	3.3	3.3	3.3	1.3	1.0	1.1	0.9	0.6	0.7	0.1	0.1	0.1	1.0	0.9	0.6	0.7	0.1	0.1	0.9	0.6	0.7	0.1	0.1	0.1		
白血病	C91-C95	233	138	371	2.2	2.0	2.1	7.6	4.5	6.0	3.7	1.9	2.7	2.8	1.5	2.1	0.3	0.1	0.2	2.8	1.5	2.1	0.3	0.1	0.2	2.8	1.5	2.1	0.3	0.1	0.2		

*1 総数は男女および性別不詳の合計(死亡の場所が不詳及び外国を含む)

表10. 年齢階級別死亡数：部位別、性別

千葉県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C97	10,675	0	4	5	2	7	6	7	23	45	111	173	315	573	1,203	1,820	2,207	1,999	1,447	604	111	13	0
	口腔・咽頭	C00-C14	271	0	0	0	0	0	0	0	1	1	4	9	13	21	37	55	53	42	27	6	2	0	0
	食道	C15	487	0	0	0	0	0	0	0	0	4	1	9	25	32	56	100	129	72	40	19	0	0	0
	胃	C16	1,385	0	0	0	0	0	0	0	3	6	12	16	41	59	156	248	273	293	190	79	9	0	0
	大腸(結腸・直腸)	C18-C20	1,334	0	0	0	0	0	0	2	2	5	20	21	47	106	190	201	275	206	166	80	13	0	0
	結腸	C18	853	0	0	0	0	0	0	1	2	3	14	13	29	56	99	122	179	151	108	68	8	0	0
	直腸	C19-C20	481	0	0	0	0	0	0	0	0	2	6	8	18	50	91	79	96	55	58	12	5	0	0
	肝および肝内胆管	C22	769	0	1	0	0	0	0	0	1	5	3	8	28	48	102	115	144	153	117	40	4	0	0
	胆のう・胆管	C23-C24	447	0	0	0	0	0	0	0	0	1	3	5	10	17	44	74	83	97	73	31	7	2	0
	膵臓	C25	862	0	0	0	0	0	0	0	5	4	24	25	32	53	116	161	182	136	86	30	8	0	0
	喉頭	C32	42	0	0	0	0	0	0	0	0	0	0	0	0	2	7	9	8	9	3	3	1	0	0
	肺	C33-C34	2,570	0	0	0	0	0	0	1	1	1	15	34	66	133	291	489	557	515	313	129	22	3	0
	皮膚	C43-C44	47	0	0	0	0	0	0	0	1	0	1	5	0	5	3	7	7	7	5	3	2	1	0
	乳房	C50	6	0	0	0	0	0	0	0	0	0	0	1	1	0	1	1	1	0	1	0	0	0	0
	前立腺	C61	622	0	0	0	0	0	0	0	0	0	0	1	2	10	43	66	126	149	134	69	17	4	0
	膀胱	C67	296	0	0	0	0	0	1	0	0	0	5	1	4	6	19	33	48	61	69	37	11	1	0
	腎・尿管(膀胱除く)	C64-C66 C68	297	0	0	0	0	0	0	0	0	0	2	4	9	9	25	36	70	53	61	25	2	1	0
	脳・中枢神経系	C70-C72	100	0	1	3	0	4	1	2	3	4	9	10	8	7	8	14	13	8	4	1	0	0	0
	甲状腺	C73	24	0	0	0	0	0	0	0	0	0	0	1	0	2	2	9	3	5	1	1	0	0	0
	悪性リンパ腫	C81-C85 C96	356	0	0	0	0	1	1	0	1	3	3	6	6	21	29	51	86	69	62	14	3	0	0
	多発性骨髄腫	C88-C90	101	0	0	0	0	0	0	0	0	0	1	2	2	4	8	20	28	15	14	5	2	0	0
	白血病	C91-C95	233	0	2	1	1	1	2	0	1	4	3	6	7	16	28	45	38	36	29	8	5	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表10. 年齢階級別死亡数： 部位別、性別

千葉県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	C00-C97	6,765	2	3	3	5	6	3	15	31	66	141	193	265	327	600	831	1,100	1,120	1,080	705	241	28	0
	口腔・咽頭	C00-C14	89	0	0	0	0	1	0	0	0	0	0	1	2	4	4	7	16	18	14	14	6	2	0
	食道	C15	86	0	0	0	0	0	0	0	0	0	2	0	3	10	9	12	13	20	9	7	1	0	0
	胃	C16	655	0	0	0	0	1	0	3	3	4	11	7	13	27	54	75	96	115	123	85	35	3	0
	大腸(結腸・直腸)	C18-C20	989	0	0	0	0	0	0	0	0	9	18	20	31	44	80	114	158	149	190	120	51	5	0
	結腸	C18	747	0	0	0	0	0	0	0	0	5	11	14	21	30	59	89	108	112	149	99	46	4	0
	直腸	C19-C20	242	0	0	0	0	0	0	0	0	4	7	6	10	14	21	25	50	37	41	21	5	1	0
	肝および肝内胆管	C22	320	0	0	0	0	0	0	0	0	1	1	1	3	9	21	29	59	72	67	50	6	1	0
	胆のう・胆管	C23-C24	356	0	0	0	0	0	0	0	1	1	2	4	7	11	22	35	42	72	82	56	18	3	0
	膵臓	C25	764	0	0	0	0	0	0	0	0	1	6	8	25	41	77	112	160	139	120	62	11	2	0
	喉頭	C32	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	肺	C33-C34	915	0	0	0	0	0	0	0	0	4	9	20	15	30	84	130	165	184	149	90	33	2	0
	皮膚	C43-C44	41	0	0	0	0	0	0	2	0	1	3	1	2	0	3	1	6	7	3	5	6	1	0
	乳房	C50	735	0	0	0	0	0	0	2	7	15	50	57	66	58	88	105	100	67	53	45	17	5	0
	子宮	C63-C65	360	0	0	0	0	0	0	5	10	13	15	29	35	25	42	45	51	36	27	20	4	2	0
	子宮頸部	C63	155	0	0	0	0	0	0	4	7	7	12	18	17	8	21	15	18	14	10	4	0	0	0
	子宮体部	C64	132	0	0	0	0	0	1	0	3	1	1	3	10	14	17	18	27	14	10	9	3	1	0
	卵巣	C66	255	0	0	0	0	0	0	2	5	7	11	21	38	22	26	32	28	23	24	15	1	0	0
	膀胱	C67	118	0	0	0	0	0	0	0	0	0	0	1	3	3	7	8	18	25	23	17	13	0	0
	腎・尿路(膀胱除く)	C64-C66 C68	154	0	0	0	0	0	0	0	0	3	1	0	4	9	6	12	26	28	35	23	7	0	0
	脳・中枢神経系	C70-C72	50	0	2	0	1	2	1	0	0	0	5	2	2	3	4	8	9	7	1	0	0	0	0
	甲状腺	C73	56	0	0	0	0	0	0	0	0	0	0	0	2	1	5	10	7	11	9	7	4	0	0
	悪性リンパ腫	C81-C85 C96	241	0	0	0	0	1	0	0	1	2	0	4	5	8	20	21	50	47	53	24	5	0	0
	多発性骨髄腫	C88-C90	103	0	0	0	0	0	0	0	0	0	0	1	1	6	4	14	20	25	19	9	4	0	0
	白血病	C91-C95	138	1	0	2	2	0	1	0	0	0	1	8	2	5	16	15	29	24	24	7	1	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表10. 年齢階級別死亡数：部位別、性別

千葉県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2	全部位	C00-C97	17,440	17,440	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	口腔・咽頭	C00-C14	360	360	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	食道	C15	573	573	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	胃	C16	2,040	2,040	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	大腸(結腸・直腸)	C18-C20	2,323	2,323	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	結腸	C18	1,600	1,600	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	直腸	C19-C20	723	723	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	肝および肝内胆管	C22	1,089	1,089	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	胆のう・胆管	C23-C24	803	803	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	膵臓	C25	1,626	1,626	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	喉頭	C32	42	42	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	肺	C33-C34	3,495	3,495	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	皮膚	C43-C44	88	88	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	乳房	C50	741	741	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	子宮	C53-C55	360	360	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	子宮頸部	C53	155	155	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	子宮体部	C54	132	132	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	卵巣	C56	255	255	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	前立腺	C61	622	622	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	膀胱	C67	414	414	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	腎・尿路(膀胱除く)	C64-C66 C68	451	451	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	脳・中枢神経系	C70-C72	150	150	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	甲状腺	C73	80	80	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	悪性リンパ腫	C81-C85 C96	597	597	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	多発性骨髄腫	C88-C90	204	204	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	白血病	C91-C95	371	371	1	2	3	3	1	3	0	1	4	4	9	21	44	60	67	60	53	15	6	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計