

表11-2. 年齢階級別死亡率（人口10万対，85歳以上をまるめ）： 部位別、性別 千葉県 2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C97	349.9	0.0	3.2	3.8	1.4	4.4	3.9	4.2	12.2	20.1	42.0	76.2	165.8	325.6	586.8	862.6	1,254.0	1,784.8	2,718.8	-
	口腔・咽頭	C00-C14	8.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.4	1.5	4.0	6.8	11.9	18.0	26.1	30.1	37.5	43.8	-
	食道	C15	16.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.4	4.0	13.2	18.2	27.3	47.4	73.3	64.3	73.8	-
	胃	C16	45.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	2.7	4.5	7.0	21.6	33.5	76.1	117.5	155.1	261.6	347.5	-
	大腸（結腸・直腸）	C18-C20	43.7	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.1	2.2	7.6	9.3	24.7	60.2	92.7	95.3	156.3	183.9	323.8	-
	結腸	C18	28.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.1	1.3	5.3	5.7	15.3	31.8	48.3	57.8	101.7	134.8	230.0	-
	直腸	C19-C20	15.8	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.9	2.3	3.5	9.5	28.4	44.4	37.4	54.5	49.1	93.8	-
	肝および肝内胆管	C22	25.2	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.5	2.2	1.1	3.5	14.7	27.3	49.8	54.5	81.8	136.6	201.3	-
	胆のう・胆管	C23-C24	14.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.1	2.2	5.3	9.7	21.5	35.1	47.2	86.6	141.3	-
	膵臓	C25	28.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	1.8	9.1	11.0	16.8	30.1	56.6	76.3	103.4	121.4	155.0	-
	喉頭	C32	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	3.4	4.3	4.5	8.0	8.8	-
	肺	C33-C34	84.2	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.5	0.4	5.7	15.0	34.7	75.6	142.0	231.8	316.5	459.8	583.8	-
	皮膚	C43-C44	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.4	2.2	0.0	2.8	1.5	3.3	4.0	6.3	13.8	-
	乳房	C50	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.5	0.0	0.5	0.5	0.6	0.0	1.3	-
	前立腺	C61	20.4	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.4	1.1	5.7	21.0	31.3	71.6	133.0	280.0	-
	膀胱	C67	9.7	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	1.9	0.4	2.1	3.4	9.3	15.6	27.3	54.5	147.5	-
	腎・尿路（膀胱除く）	C64-C66 C68	9.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	1.8	4.7	5.1	12.2	17.1	39.8	47.3	111.3	-
	脳・中枢神経系	C70-C72	3.3	0.0	0.8	2.3	0.0	2.5	0.6	1.2	1.6	1.8	3.4	4.4	4.2	4.0	3.9	6.6	7.4	7.1	6.3	-
	甲状腺	C73	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	1.1	1.0	4.3	1.7	4.5	2.5	-
	悪性リンパ腫	C81-C85 C96	11.7	0.0	0.0	0.0	0.0	0.6	0.6	0.0	0.5	1.3	1.1	2.6	3.2	11.9	14.1	24.2	48.9	61.6	98.8	-
	多発性骨髄腫	C88-C90	3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.9	1.1	2.3	3.9	9.5	15.9	13.4	26.3	-
	白血病	C91-C95	7.6	0.0	1.6	0.8	0.7	0.6	1.3	0.0	0.5	1.8	1.1	2.6	3.7	9.1	13.7	21.3	21.6	32.1	52.5	-

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対、85歳以上まるめ）： 部位別、性別 千葉県 2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳	
女	全部位	C00-C97	218.9	1.8	2.5	2.4	3.6	4.0	2.1	9.6	17.4	31.4	57.6	92.3	148.0	186.9	276.5	355.1	544.6	794.3	1,300.0	・	
	口腔・咽頭	C00-C14	2.9	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	1.1	2.3	1.8	3.0	7.9	12.8	22.8	・	
	食道	C15	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	5.7	4.1	5.1	6.4	14.2	10.8	・	
	胃	C16	21.2	0.0	0.0	0.0	0.0	0.7	0.0	0.0	1.9	1.7	1.9	4.5	3.3	15.4	24.9	32.1	47.5	81.6	155.7	・	
	大腸（結腸・直腸）	C18-C20	32.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	7.3	9.6	17.3	36.9	48.7	78.2	105.7	231.6	・	
	結腸	C18	24.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	4.5	6.7	11.7	17.1	27.2	38.0	53.5	79.4	188.6	・
	直腸	C19-C20	7.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	2.9	2.9	5.6	8.0	9.7	10.7	24.8	26.2	43.0	・
	肝および肝内胆管	C22	10.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.4	0.5	1.7	5.1	9.7	12.4	29.2	51.1	78.5	・
	胆のう・胆管	C23-C24	11.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.5	0.8	1.9	3.9	6.3	10.1	15.0	20.8	51.1	100.6	・
	膵臓	C25	24.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	2.4	3.8	14.0	23.4	35.5	47.9	79.2	98.6	123.4	・
	喉頭	C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	・
	肺	C33-C34	29.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	3.7	9.6	8.4	17.1	38.7	55.6	81.7	130.5	173.4	・
	皮膚	C43-C44	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.5	1.2	0.5	1.1	0.0	1.4	0.4	3.0	5.0	9.5	・
	乳房	C50	23.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	3.9	7.1	20.4	27.3	36.9	33.1	40.6	44.9	49.5	47.5	75.9	・
	子宮	C53-C55	11.7	0.0	0.0	0.0	0.0	0.0	0.0	0.7	3.2	5.6	6.2	6.1	13.9	19.6	14.3	19.4	19.2	25.2	25.5	33.5	・
	子宮頸部	C53	5.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	3.9	3.3	4.9	8.6	9.5	4.6	9.7	6.4	8.9	9.9	8.9	・
	子宮体部	C54	4.3	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	1.7	0.5	0.4	1.4	5.6	8.0	7.8	7.7	13.4	9.9	14.6	・
	卵巣	C56	8.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	2.8	3.3	4.5	10.0	21.2	12.6	12.0	13.7	13.9	16.3	25.3	・
	膀胱	C67	3.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.7	1.7	3.2	3.4	8.9	17.7	33.5	・
	腎・尿路（膀胱除く）	C64-C66 C68	5.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.4	0.0	2.2	5.1	2.8	5.1	12.9	19.9	41.1	・
	脳・中枢神経系	C70-C72	1.6	0.0	1.7	0.0	0.0	0.7	1.3	0.7	0.0	0.0	0.0	2.0	2.4	1.1	1.7	1.8	3.4	4.5	5.0	0.6	・
	甲状腺	C73	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.6	2.3	4.3	3.5	7.8	12.7	・
	悪性リンパ腫	C81-C85 C96	7.8	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.6	1.0	0.0	1.9	2.8	4.6	9.2	9.0	24.8	33.3	51.9	・
	多発性骨髄腫	C88-C90	3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.6	3.4	1.8	6.0	9.9	17.7	20.3	・
	白血病	C91-C95	4.5	0.9	0.0	1.6	1.5	0.0	0.0	0.7	0.0	0.0	0.0	0.4	3.8	1.1	2.9	7.4	6.4	14.4	17.0	20.3	・

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対、85歳以上まるめ）： 部位別、性別

千葉県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数 *2	全部位	C00-C97	284.0	0.9	2.9	3.1	2.5	4.2	3.0	6.9	14.7	25.6	49.5	83.9	157.2	256.4	427.3	595.7	874.9	1,232.8	1,776.9	-
	口腔・咽頭	C00-C14	5.9	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.3	0.2	0.8	2.3	4.1	7.1	9.7	13.9	18.3	23.7	29.8	-
	食道	C15	9.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.6	2.1	7.6	12.0	15.4	25.2	37.6	36.4	31.9	-
	胃	C16	33.2	0.0	0.0	0.0	0.0	0.3	0.0	0.9	1.6	2.3	4.5	5.3	14.6	24.5	49.8	72.6	97.6	161.3	220.2	-
	大腸（結腸・直腸）	C18-C20	37.8	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.5	3.2	7.5	9.4	21.1	42.7	64.0	70.8	114.6	140.3	262.6	-
	結腸	C18	26.1	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.5	1.8	4.9	6.2	13.6	24.5	37.4	47.4	75.9	104.0	202.5	-
	直腸	C19-C20	11.8	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	1.4	2.6	3.2	7.6	18.2	26.5	23.4	38.6	36.4	60.1	-
	肝および肝内胆管	C22	17.7	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.3	1.4	0.8	2.1	8.4	16.2	29.1	32.4	53.7	88.9	119.7	-
	胆のう・胆管	C23-C24	13.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.5	1.0	2.1	4.6	8.0	15.6	24.5	33.1	66.8	114.3	-
	膵臓	C25	26.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.2	5.9	7.6	15.4	26.8	45.7	61.3	90.5	108.7	134.0	-
	喉頭	C32	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.7	2.0	2.1	3.6	2.9	-
	肺	C33-C34	56.7	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	1.2	4.7	12.4	22.0	46.4	88.9	139.1	191.0	276.3	311.3	-
	皮膚	C43-C44	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.3	0.2	0.8	1.4	0.5	1.4	1.4	1.8	3.4	5.5	10.9	-
	乳房	C50	12.1	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.9	3.5	9.8	13.3	18.2	16.5	21.1	23.8	26.7	26.5	50.8	-
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	6.7	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	1.0	0.5	1.9	2.6	6.2	9.2	17.5	34.0	71.8	-
	腎・尿路（膀胱除く）	C64-C66 C68	7.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.6	0.9	3.5	5.1	7.3	10.8	25.4	32.0	64.7	-
	脳・中枢神経系	C70-C72	2.4	0.0	1.2	1.2	0.4	1.9	0.7	0.6	0.8	0.9	2.8	3.4	2.7	2.8	2.8	4.9	5.8	5.9	2.5	-
	甲状腺	C73	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.5	0.9	1.7	4.3	2.6	6.3	9.2	-
	悪性リンパ腫	C81-C85 C96	9.7	0.0	0.0	0.0	0.0	0.6	0.3	0.0	0.5	1.2	0.6	2.3	3.0	8.3	11.6	16.2	36.0	45.8	67.6	-
	多発性骨髄腫	C88-C90	3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.7	0.8	2.8	2.8	7.6	12.7	15.8	22.3	-
	白血病	C91-C95	6.0	0.4	0.8	1.2	1.1	0.3	1.0	0.0	0.3	0.9	0.8	3.2	2.4	6.0	10.4	13.5	17.7	23.7	31.1	-

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表12. 5年相対生存率(%) : 部位別、性別

千葉県

2014年

部位	男			女			男女計		
	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差
ICD-10									
全部位	19,792	58.4	0.4	13,653	63.5	0.5	33,445	60.5	0.3
C00-C96	537	56.6	2.5	203	70.6	3.8	740	60.5	2.1
C00-C14	756	43.9	2.1	133	36.6	4.4	889	42.8	1.9
C15	3,366	63.2	1.0	1,369	59.4	1.5	4,735	62.1	0.9
C16	2,832	64.8	1.1	1,948	62.6	1.3	4,780	63.9	0.8
C18-C20	1,735	64.2	1.4	1,390	60.7	1.5	3,125	62.6	1.0
C18	1,097	65.7	1.7	558	67.2	2.2	1,655	66.2	1.4
C19-C20	1,001	32.3	1.7	427	27.2	2.4	1,428	30.8	1.4
C22	442	22.7	2.3	387	18.2	2.1	829	20.6	1.6
C23-C24	752	10.9	1.2	605	11.5	1.4	1,357	11.2	0.9
C25	233	83.0	3.5	17	85.2	10.0	250	83.3	3.4
C32	3,082	29.5	0.9	1,266	43.0	1.5	4,348	33.5	0.8
C33-C34	417	94.4	2.9	375	96.8	2.7	792	95.9	2.0
C43-C44	24	76.7	12.1	3,152	89.2	0.7	3,176	89.1	0.7
C50	-	-	-	1,104	75.0	1.4	1,104	75.0	1.4
C53-C55	-	-	-	477	71.8	2.2	477	71.8	2.2
C53	-	-	-	614	78.5	1.8	614	78.5	1.8
C54	-	-	-	429	60.6	2.5	429	60.6	2.5
C56	3,047	96.1	0.9	-	-	-	3,047	96.1	0.9
C61	579	65.5	2.6	207	53.4	4.1	786	62.3	2.2
C67	679	66.6	2.2	302	55.6	3.2	981	63.2	1.8
C64-C66 C68	120	26.1	4.2	82	36.8	5.6	202	30.4	3.4
C70-C72	126	93.2	3.1	286	92.0	2.1	412	92.9	1.7
C73	645	68.5	2.3	543	72.5	2.2	1,188	70.3	1.6
C81-C85 C96	157	47.1	4.6	103	52.8	5.4	260	49.5	3.5
C88-C90	279	45.7	3.2	181	52.0	3.9	460	48.2	2.5
C91-C95									

\*1 DC0、上皮内、診断時年齢100歳以上、第2がん以降を除く

表42. 市区町村別罹患者数 : 部位別、性別  
A. 上皮がんを除く

千葉県 2019年

Table with columns for age groups (C00-C96, C16-C20, C18, C19-C20, C22, C33-C34, C50, C53-C55, C54, C55, C56), sex (男/女), and cancer types (全部位, 大腸(精巣・直腸), 結腸, 直腸, 肝および肝内胆管, 肺, 乳房, 子宮頸部, 子宮体部, 前立腺). Rows list municipalities such as 千葉市中央区, 千葉市花見川区, etc.



表62. 医療圏別、保健所別罹患数：部位別、性別

医療圏/保健所	全部位		胃		大腸(結腸・直腸)		結腸		直腸		肝および肝内胆管		肺		乳房		子宮頸部		子宮		子宮体部		前立腺					
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女				
	C00-C96	C16	C18	C19-C20	C22	C33-C34	C50	C53-C55	C53-C54	C53-C54	C53-C54	C53-C54	C53-C54	C53-C54	C53-C54	C53-C54	C53-C54	C53-C54	C53-C54	C53-C54	C53-C54	C53-C54	C53-C54	C53-C54	C53-C54			
千葉県	27,631	19,598	47,229	41,141	1,701	5,842	4,230	2,924	7,154	2,575	2,038	4,613	1,655	886	2,541	1,093	447	1,540	3,936	1,781	5,717	33	4,846	4,879	1,420	497	907	4,891
医療圏不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
千葉	4,282	3,072	7,354	620	252	872	632	412	1,044	383	287	670	249	125	374	190	73	263	616	293	909	6	809	815	210	72	136	736
東葛南郡	7,076	5,269	12,345	1,021	409	1,430	1,095	763	1,858	672	551	1,223	423	212	635	231	110	341	1,003	447	1,450	10	1,395	1,405	399	135	262	1,320
東葛北郡	5,974	4,280	10,254	919	387	1,306	943	630	1,573	572	435	1,007	371	195	566	223	97	320	817	387	1,204	7	1,076	1,083	312	95	213	1,024
印旛	2,990	2,150	5,140	459	196	655	421	338	759	261	222	483	160	116	276	119	39	158	380	195	575	1	518	519	164	66	94	577
香取海浜	1,503	888	2,491	236	98	332	243	156	399	129	106	235	114	50	164	69	18	87	245	98	343	0	188	188	73	35	38	246
山武長生真隅	2,372	1,519	3,891	353	143	496	348	258	606	214	180	394	134	78	212	114	45	159	368	148	516	2	338	340	97	29	67	452
安房	764	532	1,296	116	49	165	121	94	215	76	64	140	45	30	75	27	8	35	118	50	168	3	117	120	34	11	23	118
君津	1,438	1,008	2,446	225	99	324	228	162	390	153	117	270	75	45	120	52	30	82	187	91	278	3	204	207	82	34	46	241
市原	1,232	780	2,012	192	70	262	199	111	310	115	76	191	84	35	119	68	27	95	202	72	274	1	201	202	49	20	28	177
保健所不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
千葉市	4,282	3,072	7,354	620	252	872	632	412	1,044	383	287	670	249	125	374	190	73	263	616	293	909	6	809	815	210	72	136	736
船橋市	2,571	1,974	4,545	350	152	502	372	265	637	233	195	428	139	70	209	95	41	136	374	153	527	5	518	523	169	55	113	481
柏市	1,777	1,270	3,047	277	116	393	293	187	480	175	124	299	118	63	181	63	26	89	222	110	332	1	326	327	91	32	59	318
市川	2,385	1,749	4,134	364	152	516	384	225	609	229	162	391	155	63	218	76	37	113	336	161	497	4	482	486	136	49	87	433
松戸	3,440	2,517	5,957	544	221	765	539	374	913	320	264	584	219	110	329	134	57	191	477	228	705	5	624	629	190	58	129	577
野田	757	493	1,250	98	50	148	111	69	180	77	47	124	34	22	56	26	14	40	118	49	167	1	126	127	31	5	25	129
印旛	2,990	2,150	5,140	459	196	655	421	338	759	261	222	483	160	116	276	119	39	158	380	195	575	1	518	519	164	66	94	577
長生	790	523	1,313	123	57	180	109	89	198	67	67	134	42	22	64	35	13	48	122	45	167	0	117	117	37	9	27	158
真隅	438	280	718	60	32	92	67	45	112	41	30	71	26	15	41	16	11	27	62	34	96	2	59	61	17	6	11	93
市原	1,232	780	2,012	192	70	262	199	111	310	115	76	191	84	35	119	68	27	95	202	72	274	1	201	202	49	20	28	177
習志野	1,438	1,008	2,446	225	99	324	228	162	390	153	117	270	75	45	120	52	30	82	187	91	278	3	204	207	82	34	46	241
香取	2,120	1,546	3,666	307	105	412	339	273	612	210	194	404	129	79	208	60	32	92	293	133	426	1	395	396	94	31	62	406
海浜	652	392	1,044	111	38	149	107	58	165	57	31	88	50	27	77	33	5	38	98	37	135	0	72	72	30	18	12	105
山武	851	596	1,447	125	58	183	136	98	234	72	75	147	64	23	87	36	13	49	147	61	208	0	116	116	43	17	26	141
安房	1,144	716	1,860	170	54	224	172	124	296	106	83	189	66	41	107	63	21	84	184	69	253	0	162	162	43	14	29	201
安房	764	532	1,296	116	49	165	121	94	215	76	64	140	45	30	75	27	8	35	118	50	168	3	117	120	34	11	23	118

表62. 医療圏別、保健所別罹患数：部位別、性別

B. 上皮内がんを含む

千葉県 2019年

医療圏/保健所	全部位		大腸(結腸・直腸)*2		結腸*2		直腸*2		肺		乳房		子宮		子宮頸部					
	C00-C96 D00-D09		C18-C20 D010-D012		C18 D010		C19-C20 D011-D012		C33-C34 D021-D022		C50 D05		C53-C65 D06		C53 D06					
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女				
千葉県	30,413	22,441	52,854	0	5,655	3,646	9,301	3,588	2,554	6,142	2,067	1,092	3,159	3,977	1,845	5,822	35	5,465	2,322	1,399
千葉県不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
千葉	4,735	3,566	8,301	891	550	550	1,441	567	379	946	324	171	495	621	303	924	6	918	354	216
東葛南	7,894	6,096	13,990	1,340	965	965	2,505	980	699	1,679	560	266	826	1,014	464	1,478	11	1,567	677	413
東葛北	6,568	4,848	11,416	1,241	821	821	2,062	792	577	1,369	449	244	693	832	406	1,238	7	1,193	457	240
印旛	3,293	2,470	5,763	581	403	403	984	380	268	648	201	135	336	383	197	580	2	601	280	182
香取海	1,646	1,122	2,768	318	192	192	510	180	133	313	138	59	197	245	100	345	0	213	112	74
山武長生夷	2,576	1,727	4,303	439	285	285	724	278	198	476	161	87	248	374	157	531	2	383	188	120
安房	822	580	1,402	140	108	108	248	88	74	162	52	34	86	118	50	168	3	128	46	23
君津	1,542	1,137	2,679	267	191	191	458	184	134	318	83	57	140	187	94	281	3	237	116	68
市原	1,337	895	2,232	238	131	131	369	139	92	231	99	39	138	203	74	277	1	225	92	63
保健所不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
千葉市	4,735	3,566	8,301	891	550	550	1,441	567	379	946	324	171	495	621	303	924	6	918	354	216
船橋市	2,913	2,259	5,172	571	349	349	920	372	251	623	199	98	297	379	160	539	6	571	253	139
柏市	1,969	1,441	3,410	398	239	239	637	255	161	416	143	78	221	226	114	340	1	363	136	77
市川	2,625	2,065	4,690	506	294	294	800	310	213	523	196	81	277	338	166	504	4	553	252	165
松戸	3,799	2,854	6,653	719	503	503	1,222	453	363	816	266	140	406	486	240	726	5	693	274	142
野田	800	553	1,353	124	79	79	203	84	53	137	40	26	66	120	52	172	1	137	47	21
印旛	3,293	2,470	5,763	581	403	403	984	380	268	648	201	135	336	383	197	580	2	601	280	182
長生	847	594	1,441	134	99	99	233	85	75	160	49	24	73	126	48	174	0	131	66	38
夷	465	307	772	78	49	49	127	50	31	81	28	18	46	63	35	98	2	64	29	18
市原	1,337	895	2,232	238	131	131	369	139	92	231	99	39	138	203	74	277	1	225	92	63
君津	1,542	1,137	2,679	267	191	191	458	184	134	318	83	57	140	187	94	281	3	237	116	68
習志野	2,356	1,772	4,128	463	322	322	785	298	235	533	165	87	252	297	138	435	1	443	172	109
香取	710	443	1,153	134	74	74	208	74	42	116	60	32	92	98	37	135	0	82	46	34
海	936	679	1,615	184	118	118	302	106	91	197	78	27	105	147	63	210	0	131	66	40
山武	1,264	826	2,090	227	137	137	364	143	92	235	84	45	129	185	74	259	0	188	93	64
安房	822	580	1,402	140	108	108	248	88	74	162	52	34	86	118	50	168	3	128	46	23





付表1. 罹患数、部位割合(%)、粗罹患率(人口10万対)、年齢調整罹患率(人口10万対)、累積罹患率(%) : 詳細部位別、性別

千葉県

2019年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
上皮内がん	D00-D09	2,782	2,843	5,625	8.9	12.1	10.3	89.6	90.1	89.9	46.9	68.7	56.8	33.5	53.7	42.8	4.2	5.4	4.7
口腔、食道および胃	D00	204	54	258	0.7	0.2	0.5	6.6	1.7	4.1	3.3	0.9	2.0	2.3	0.7	1.5	0.3	0.1	0.2
食道	D001	128	29	157	0.4	0.1	0.3	4.1	0.9	2.5	1.9	0.5	1.1	1.2	0.4	0.8	0.2	0.1	0.1
その他および部位不明の消化器	D01	1,580	836	2,416	5.0	3.6	4.4	50.9	26.5	38.6	28.8	14.3	21.4	21.0	10.4	15.6	2.7	1.3	2.0
結腸	D010	1,013	516	1,529	3.2	2.2	2.8	32.6	16.4	24.4	18.3	8.6	13.3	13.2	6.2	9.6	1.7	0.8	1.2
直腸S状結腸移行部	D011	102	50	152	0.3	0.2	0.3	3.3	1.6	2.4	1.9	0.9	1.4	1.4	0.6	1.0	0.2	0.1	0.1
直腸	D012	310	156	466	1.0	0.7	0.9	10.0	4.9	7.4	5.8	2.8	4.2	4.3	2.0	3.1	0.5	0.3	0.4
中耳および呼吸器系	D02	48	65	113	0.2	0.3	0.2	1.5	2.1	1.8	0.7	1.3	1.0	0.5	1.0	0.7	0.1	0.1	0.1
気管	D021	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	D022	41	64	105	0.1	0.3	0.2	1.3	2.0	1.7	0.6	1.3	1.0	0.4	1.0	0.7	0.1	0.1	0.1
上皮内黒色腫	D03	8	13	21	0.0	0.1	0.0	0.3	0.4	0.3	0.3	0.3	0.3	0.2	0.2	0.0	0.0	0.0	0.0
皮膚のその他	D04	139	155	294	0.4	0.7	0.5	4.5	4.9	4.7	1.8	1.6	1.7	1.2	1.1	1.2	0.1	0.1	0.1
乳房	D05	2	619	621	0.0	2.6	1.1	0.1	19.6	9.9	0.0	14.6	7.3	0.0	11.4	5.6	0.0	1.2	0.6
子宮頸部	D06	-	902	902	-	3.9	1.6	-	28.6	-	-	32.7	-	-	26.7	-	-	2.3	-
その他および部位不明の性器	D07	12	19	31	0.0	0.1	0.1	0.4	0.6	0.5	0.1	0.4	0.3	0.1	0.3	0.2	0.0	0.0	0.0
その他および部位不明	D09	789	180	969	2.5	0.8	1.8	25.4	5.7	15.5	11.8	2.5	6.9	8.1	1.8	4.8	1.0	0.2	0.6
膀胱	D090	730	161	891	2.3	0.7	1.6	23.5	5.1	14.2	10.8	2.2	6.3	7.4	1.6	4.3	0.9	0.2	0.5
良性腫瘍	D32-D35	299	528	827	1.0	2.3	1.5	9.6	16.7	13.2	6.6	11.2	8.9	5.1	8.8	6.9	0.5	1.0	0.8
髄膜	D32	131	342	473	0.4	1.5	0.9	4.2	10.8	7.6	2.5	6.5	4.5	1.8	4.9	3.3	0.2	0.6	0.4
脳および中枢神経系	D33	76	73	149	0.2	0.3	0.3	2.4	2.3	2.4	1.9	1.8	1.9	1.6	1.4	1.5	0.2	0.1	0.1
下垂体	D352	92	113	205	0.3	0.5	0.4	3.0	3.6	3.3	2.2	3.0	2.6	1.7	2.4	2.1	0.2	0.3	0.2
頭蓋咽頭管	D353	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
松果体	D354	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
性状不詳	D42-D47	545	392	937	1.7	1.7	1.7	17.6	12.4	15.0	9.5	6.1	7.7	7.1	4.6	5.8	0.7	0.5	0.6
髄膜	D42	6	21	27	0.0	0.1	0.0	0.2	0.7	0.4	0.1	0.4	0.3	0.1	0.3	0.2	0.0	0.0	0.0
脳および中枢神経系	D43	75	83	158	0.2	0.4	0.3	2.4	2.6	2.5	1.7	1.7	1.7	1.5	1.4	1.5	0.1	0.1	0.1
下垂体	D443	13	12	25	0.0	0.1	0.0	0.4	0.4	0.4	0.3	0.2	0.2	0.3	0.1	0.2	0.0	0.0	0.0
頭蓋咽頭管	D444	9	5	14	0.0	0.0	0.0	0.3	0.2	0.2	0.2	0.1	0.1	0.2	0.1	0.1	0.0	0.0	0.0
松果体	D445	0	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
真正赤血球増加症	D45	26	20	46	0.1	0.1	0.1	0.8	0.6	0.7	0.6	0.3	0.5	0.5	0.2	0.3	0.1	0.0	0.0
骨髄異形成症候群	D46	314	153	467	1.0	0.7	0.9	10.1	4.8	7.5	4.5	1.7	3.0	3.1	1.2	2.1	0.3	0.1	0.2
慢性骨髄増殖性疾患	D471	22	14	36	0.1	0.1	0.1	0.7	0.4	0.6	0.3	0.3	0.3	0.2	0.2	0.2	0.0	0.0	0.0
本態性(出血性)血小板血症	D473	62	79	141	0.2	0.3	0.3	2.0	2.5	2.3	1.3	1.4	1.4	1.1	1.1	1.1	0.1	0.1	0.1

\*1 総数は男女および性別不詳の合計



付表2. 死亡数、部位割合(%)、粗死亡率(人口10万対)、年齢調整死亡率(人口10万対)、累積死亡率(%): 詳細部位別、性別

千葉県

2019年

部位	ICD-10	死亡数			部位割合			粗死亡率			年齢調整死亡率						累積死亡率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
上皮内がん	D00-D09	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
口腔、食道および胃	D00	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
食道	D001	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明の消化器	D01	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
結腸	D010	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
直腸S状結腸移行部	D011	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
直腸	D012	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
中耳および呼吸器系	D02	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管	D021	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	D022	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
上皮内黒色種	D03	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
皮膚のその他	D04	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
乳房	D05	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
子宮頸部	D06	-	0	0	-	0.0	0.0	-	0.0	-	0.0	-	0.0	-	0.0	-	0.0	-	0.0
その他および部位不明の性器	D07	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明	D09	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
膀胱	D090	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
良性腫瘍	D32-D35	4	15	19	0.0	0.2	0.1	0.1	0.5	0.3	0.0	0.2	0.1	0.0	0.1	0.1	0.0	0.0	0.0
髄膜	D32	4	12	16	0.0	0.2	0.1	0.1	0.4	0.3	0.0	0.1	0.1	0.0	0.1	0.1	0.0	0.0	0.0
脳および中枢神経系	D33	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
下垂体	D352	0	2	2	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
頭蓋咽頭管	D353	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
松果体	D354	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
性状不詳	D42-D47	231	144	375	2.1	2.0	2.1	7.6	4.7	6.1	3.2	1.5	2.3	2.2	1.2	1.7	0.2	0.1	0.1
髄膜	D42	1	2	3	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
脳および中枢神経系	D43	64	45	109	0.6	0.6	0.6	2.1	1.5	1.8	1.1	0.7	0.9	0.8	0.6	0.7	0.1	0.0	0.1
下垂体	D443	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
頭蓋咽頭管	D444	1	0	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
松果体	D445	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
真正赤血球増加症	D45	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
骨髄異形成症候群	D46	145	77	222	1.3	1.1	1.2	4.8	2.5	3.6	1.8	0.6	1.2	1.2	0.4	0.8	0.1	0.0	0.1
慢性骨髄増殖性疾患	D471	8	1	9	0.1	0.0	0.0	0.3	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
本態性(出血性)血小板血症	D473	2	1	3	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

\*1 総数は男女および性別不詳の合計

付表3. 初回治療内容割合詳細 (%) : 部位別

A. 上皮内がんを除く 千葉県 2019年

部位	ICD-10	集計対象数 *1	手術のみ *2			手術 + 内視鏡		放射線のみ			放射線のみ + 薬物のみ *3		薬物		手術/内視鏡			治療あり 他の組合せ *5		治療なし ・不明
			手術のみ *2	内視鏡のみ	手術 + 内視鏡	放射線のみ	放射線のみ + 薬物のみ *3	+ 放射線	- その他 *	+ 放射線	+ 薬物	+ その他 *4	+ 放射線	+ 薬物	+ その他 *4	+ 放射線	+ 薬物			
全部位	C00-C96	46,485	25.7	7.4	1.0	2.1	15.5	3.9	0.5	0.7	15.0	0.4	3.8	1.1	22.7					
口腔・咽頭	C00-C14	1,167	36.8	4.1	0.1	6.5	2.7	17.7	0.0	4.2	2.5	0.2	3.3	0.2	21.9					
食道	C15	1,354	8.1	23.4	1.5	4.6	6.7	15.1	0.0	0.5	14.3	0.1	2.4	0.3	23.0					
胃	C16	5,765	21.5	34.4	2.4	0.2	10.0	0.2	0.1	0.0	11.2	0.1	0.0	0.2	19.7					
大腸 (結腸・直腸)	C18-C20	7,033	38.6	11.1	3.3	0.2	5.0	0.6	0.1	0.2	23.1	0.2	1.1	0.3	16.2					
結腸	C18	4,524	41.0	10.1	3.5	0.1	4.4	0.2	0.0	0.1	23.2	0.2	0.1	0.3	16.7					
直腸	C19-C20	2,509	34.5	12.9	2.9	0.4	6.1	1.4	0.1	0.3	23.0	0.1	2.9	0.2	15.3					
肝および肝内胆管	C22	1,483	18.5	0.1	0.0	1.9	10.2	0.3	12.5	0.1	1.7	0.9	0.1	14.5	39.3					
胆のう・胆管	C23-C24	924	27.5	0.0	0.1	0.4	13.9	0.3	0.1	0.3	11.3	0.5	0.1	0.6	44.8					
膵臓	C25	1,984	8.2	0.2	0.0	0.5	33.7	1.3	0.2	0.1	16.8	0.1	0.1	0.6	38.4					
喉頭	C32	249	16.9	6.8	0.0	33.7	0.8	13.3	0.0	4.4	0.4	2.4	2.0	3.2	16.1					
肺	C33-C34	5,573	27.2	0.0	0.0	5.1	18.5	8.6	0.3	0.4	7.7	0.0	0.7	0.3	31.1					
皮膚	C43-C44	1,169	86.9	0.0	0.0	1.1	0.6	0.3	0.0	0.6	1.0	0.7	0.2	0.3	8.3					
乳房 (女性のみ)	C50	4,839	8.1	0.0	0.1	0.6	7.5	0.8	0.1	2.0	42.2	0.0	27.6	0.8	10.2					
子宮 (女性のみ)	C53-C55	1,409	41.9	0.1	0.2	4.0	3.9	8.9	0.0	0.9	23.0	0.0	3.8	0.1	13.1					
子宮頸部	C53	496	26.4	0.2	0.2	9.5	3.4	24.8	0.0	1.8	8.1	0.0	10.9	0.2	14.5					
子宮体部	C54	900	51.1	0.0	0.2	1.1	4.1	0.2	0.0	0.3	31.6	0.0	0.0	0.1	11.2					
卵巣	C56	726	33.7	0.0	0.0	0.0	5.1	0.0	0.0	0.0	43.3	0.0	0.1	0.4	17.4					
前立腺	C61	4,838	22.9	0.8	0.0	2.3	38.2	9.4	0.1	0.2	3.7	0.0	0.2	0.3	21.7					
膀胱	C67	1,111	2.8	18.6	3.7	0.9	1.5	0.2	0.1	1.2	28.2	13.0	2.2	9.5	18.3					
腎・尿路 (膀胱除く)	C64-C66 C68	1,431	57.7	0.3	0.2	1.3	6.6	0.9	0.0	0.0	6.6	0.3	0.1	0.8	25.2					
脳・中枢神経系	C70-C72	267	13.9	0.0	0.0	1.9	1.5	4.1	0.0	4.9	7.1	0.4	34.5	1.5	30.3					
甲状腺	C73	761	56.6	0.0	0.1	1.2	1.1	0.0	0.0	4.6	5.3	0.1	2.5	0.0	28.5					
悪性リンパ腫	C81-C85 C96	1,661	2.5	0.1	0.0	4.2	55.1	4.5	0.2	0.3	3.7	0.0	0.9	0.7	27.8					
多発性骨髄腫	C88-C90	387	1.0	0.0	0.0	0.8	60.5	3.4	1.0	0.8	0.5	0.0	0.0	0.0	32.0					
白血病	C91-C95	636	0.0	0.0	0.0	0.0	70.1	2.0	1.9	0.0	0.0	0.0	0.0	0.8	25.2					

\*1 DCOを除く総数

\*2 外科的、鏡視下治療のいずれかが「1:あり」

\*3 化学療法、内分泌療法のいずれかが「1:あり」

\*4 その他治療が「1:あり」

\*5 左記以外の治療組合せ

付表3. 初回治療内容割合詳細 (%) : 部位別

B. 上皮内がんを含む

千葉県

2019年

部位	ICD-10	集計対象数 *1	手術のみ *2		内視鏡のみ		手術/内視鏡 + 内視鏡		放射線のみ		薬物のみ *3		薬物		手術/内視鏡 + その他 *4		放射線 + 薬物		治療あり 他の組合せ *5		治療なし ・不明
			手術のみ *2	内視鏡のみ	手術/内視鏡 + 内視鏡	放射線のみ	薬物のみ *3	+ 放射線	- その他 *	+ 放射線	+ 薬物	+ その他 *4	+ 放射線 + 薬物	+ 放射線 + 薬物	+ 放射線 + 薬物	+ 放射線 + 薬物					
全部位	C00-C96 D00-D09	52,110	26.6	11.4	0.9	1.9	13.9	3.5	0.5	1.0	14.1	0.6	3.5	1.2	20.8						
食道	C15 D001	1,511	7.5	29.3	1.3	4.2	6.0	13.6	0.0	0.5	12.8	0.1	2.2	0.6	22.0						
大腸 (結腸・直腸) *4	C18-C20 D010-D012	9,180	30.9	30.2	2.6	0.2	3.9	0.5	0.0	0.1	17.7	0.2	0.8	0.2	12.6						
結腸 *4	C18 D010	6,053	32.0	31.1	2.7	0.1	3.3	0.1	0.0	0.0	17.3	0.2	0.1	0.2	12.7						
直腸 *4	C19-C20 D011-D012	3,127	28.9	28.5	2.4	0.3	4.9	1.1	0.1	0.3	18.5	0.2	2.3	0.2	12.4						
肺	C33-C34 D021-D022	5,678	28.5	0.0	0.0	5.0	18.1	8.5	0.3	0.4	7.6	0.0	0.7	0.4	30.5						
皮膚	C43-C44 D030-D049	1,484	86.5	0.0	0.0	0.9	0.6	0.3	0.0	0.6	0.8	0.8	0.1	1.5	7.9						
乳房 (女性のみ)	C50 D05	5,460	12.6	0.0	0.1	0.6	6.8	0.7	0.1	4.5	38.7	0.0	25.5	0.8	9.6						
乳房 (女性のみ)	C50 D05	5,425	12.6	0.0	0.1	0.6	6.8	0.7	0.1	4.5	38.5	0.0	25.6	0.8	9.6						
子宮	C53-C55 D06	2,311	59.4	0.2	0.2	2.5	2.4	5.4	0.0	0.6	14.1	0.0	2.3	0.3	12.5						
子宮頸部	C53 D06	1,398	65.3	0.3	0.2	3.4	1.3	8.8	0.1	0.7	2.9	0.0	3.9	0.5	12.7						
膀胱	C67 D090	2,002	3.1	26.4	2.1	0.5	1.0	0.1	0.1	0.6	29.7	13.2	1.2	10.0	11.7						

\*1 DC0を除く総数

\*2 外科的、鏡視下治療のいずれかが「1:あり」

\*3 化学療法、内分泌療法、放射線療法のいずれかが「1:あり」

\*4 その他治療が「1:あり」

\*5 上記以外の治療組合せ