

表5-2. 進展度・治療前 (%) : 部位別

A. 上皮内がんを除く

千葉県

2016年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	44,823	1.8	46.3	7.3	11.3	17.2	16.0	18.6
口腔・咽頭	C00-C14	1,078	1.3	35.9	13.5	31.4	4.1	13.7	45.0
食道	C15	1,235	5.6	36.4	7.4	26.3	14.5	9.7	33.8
胃	C16	6,098	0.9	59.2	8.6	5.7	14.8	10.8	14.3
大腸 (結腸・直腸)	C18-C20	7,270	4.6	40.8	13.0	8.6	16.0	17.1	21.6
結腸	C18	4,805	4.8	40.1	12.4	8.5	16.7	17.6	20.9
直腸	C19-C20	2,465	4.1	42.3	14.2	8.6	14.6	16.2	22.8
肝および肝内胆管	C22	1,687	0.0	53.5	2.7	9.8	12.3	21.7	12.6
胆のう・胆管	C23-C24	929	0.1	17.2	3.7	33.5	23.1	22.4	37.1
膵臓	C25	1,763	0.1	12.0	2.8	27.5	46.7	10.9	30.2
喉頭	C32	281	0.4	60.1	11.4	14.2	3.6	10.3	25.6
肺	C33-C34	5,542	0.0	33.2	9.8	7.8	37.0	12.1	17.7
皮膚	C43-C44	1,144	2.6	75.5	0.9	4.6	1.4	14.9	5.5
乳房 (女性のみ)	C50	4,627	3.1	60.3	12.2	4.0	4.9	15.5	16.2
乳房 (女性のみ)	C50	4,594	3.1	60.5	12.3	3.9	4.9	15.4	16.2
子宮	C53-C55	1,369	3.5	51.4	2.2	18.6	10.2	14.2	20.7
子宮頸部	C53	561	8.0	32.8	2.1	31.4	13.7	11.9	33.5
子宮体部	C54	794	0.4	65.2	2.3	9.6	7.7	14.9	11.8
卵巣	C56	713	0.1	33.4	0.6	25.0	12.3	28.6	25.5
前立腺	C61	4,437	0.0	62.6	0.9	12.2	11.6	12.7	13.1
膀胱	C67	1,113	10.0	53.9	1.8	9.9	2.9	21.6	11.7
腎・尿路 (膀胱除く)	C64-C66 C68	1,390	0.5	56.6	1.9	10.9	13.5	16.5	12.9
脳・中枢神経系	C70-C72	292	0.0	67.5	0.0	5.8	2.7	24.0	5.8
甲状腺	C73	840	0.0	40.0	14.2	6.0	4.8	35.1	20.1
悪性リンパ腫	C81-C85 C96	1,499	0.0	24.9	0.8	15.2	41.8	17.3	16.0
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-	-

*1 D00、777 : 該当せずを除く総数

*2 リンパ節転移+隣接臓器浸潤

表5-2. 進展度・治療前 (%) : 部位別

B. 上皮内がんを含む

千葉県

2016年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	49,799	7.9	42.7	6.6	10.2	15.5	17.1	16.8
食道	C15 D001	1,366	11.8	35.1	6.7	23.8	13.1	9.4	30.5
大腸 (結腸・直腸) *3	C18-C20 D010-D012	9,060	12.0	33.9	10.5	6.9	12.8	24.0	17.3
結腸 *3	C18 D010	6,077	12.5	32.8	9.8	6.7	13.2	25.0	16.6
直腸 *3	C19-C20 D011-D012	2,983	11.0	36.1	11.7	7.1	12.1	22.0	18.8
肺	C33-C34 D021-D022	5,545	0.1	33.2	9.8	7.8	37.0	12.1	17.7
皮膚	C43-C44 D030-D049	1,429	19.7	60.8	0.7	3.7	1.1	13.9	4.4
乳房 (女性のみ)	C50 D05	5,267	11.8	54.4	10.7	3.5	4.3	15.2	14.3
乳房	C50 D05	5,233	11.9	54.5	10.8	3.4	4.3	15.2	14.2
子宮	C53-C55 D06	2,282	38.8	31.1	1.3	11.1	6.1	11.6	12.4
子宮頸部	C53 D06	1,474	59.8	12.9	0.8	11.9	5.2	9.3	12.8
膀胱	C67 D090	1,876	34.2	37.9	1.1	6.0	1.7	19.1	7.0

*1 DC0、777 : 該当せずを除く総数

*2 リンパ節転移+隣接臓器浸潤

*3 粘膜がんを含む

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	28,400	53.7	10.5	10.0	4.3	21.5	20.4
口腔・咽頭	C00-C14	683	40.4	9.7	23.6	0.4	25.9	33.2
食道	C15	580	63.1	5.3	5.7	0.9	25.0	11.0
胃	C16	4,705	67.2	10.4	6.3	4.7	11.4	16.7
大腸 (結腸・直腸)	C18-C20	6,095	51.6	18.5	8.1	9.6	12.2	26.6
結腸	C18	4,100	50.8	18.2	9.0	10.4	11.6	27.1
直腸	C19-C20	1,995	53.2	19.0	6.4	7.9	13.5	25.4
肝および肝内胆管	C22	631	42.5	0.6	3.6	1.7	51.5	4.3
胆のう・胆管	C23-C24	456	18.4	3.9	47.1	7.2	23.2	51.1
膵臓	C25	593	12.5	4.0	39.8	6.6	37.1	43.8
喉頭	C32	98	34.7	14.3	24.5	0.0	26.5	38.8
肺	C33-C34	2,548	51.6	8.4	5.5	2.8	31.6	13.9
皮膚	C43-C44	1,078	85.0	0.8	4.2	0.6	9.5	5.0
乳房	C50	3,548	62.7	18.9	2.0	0.7	15.7	20.8
乳房 (女性のみ)	C50	3,519	63.0	18.9	1.8	0.7	15.6	20.7
子宮	C53-C55	1,035	64.1	3.1	13.7	3.0	16.1	16.8
子宮頸部	C53	318	48.7	4.1	17.6	1.6	28.0	21.7
子宮体部	C54	707	71.9	2.7	12.2	3.7	9.6	14.9
卵巣	C56	593	36.9	1.0	35.9	6.4	19.7	36.9
前立腺	C61	1,708	47.2	0.9	14.8	0.5	36.7	15.7
膀胱	C67	885	44.1	1.1	5.4	1.0	48.4	6.6
腎・尿路 (膀胱除く)	C64-C66 C68	1,076	58.9	0.5	20.3	4.4	16.0	20.7
脳・中枢神経系	C70-C72	200	52.5	0.5	9.5	2.5	35.0	10.0
甲状腺	C73	712	27.8	29.9	6.0	2.1	34.1	36.0
悪性リンパ腫	C81-C85 C96	316	18.0	0.3	5.7	8.5	67.4	6.0
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-

*1 DC0、660 : 手術なし・術前治療後、777 : 該当せずを除く総数

*2 リンパ節転移+隣接臓器浸潤

表5-3. 進展度・術後 (%) : 部位別

B. 上皮内がんを含む

千葉県

2016年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	33,103	12.9	46.5	9.0	8.6	3.7	19.3	17.5
食道	C15 D001	702	15.5	52.1	4.4	4.7	0.7	22.5	9.1
大腸 (結腸・直腸) *3	C18-C20 D010-D012	7,865	22.1	40.0	14.3	6.3	7.4	9.9	20.6
結腸 *3	C18 D010	5,360	23.1	38.9	13.9	6.8	8.0	9.3	20.8
直腸 *3	C19-C20 D011-D012	2,505	20.0	42.4	15.2	5.1	6.3	11.1	20.2
肺	C33-C34 D021-D022	2,551	0.1	51.6	8.4	5.5	2.8	31.6	13.9
皮膚	C43-C44 D030-D049	1,346	17.9	68.1	0.7	3.3	0.4	9.6	4.0
乳房 (女性のみ)	C50 D05	4,126	12.7	54.0	16.2	1.7	0.6	14.8	17.9
乳房	C50 D05	4,096	12.8	54.1	16.2	1.6	0.6	14.7	17.8
子宮	C53-C55 D06	1,860	41.6	35.6	1.7	7.6	1.7	11.8	9.4
子宮頸部	C53 D06	1,143	67.6	13.6	1.1	4.9	0.4	12.3	6.0
膀胱	C67 D090	1,621	41.0	24.1	0.6	3.0	0.6	30.8	3.6

*1 DC0、660：手術なし・術前治療後、777：該当せずを除く総数

*2 リンパ節転移+隣接臓器浸潤

*3 粘膜がんを含む

表6. 初回治療内容割合 (%) : 部位別

A. 上皮内がんを除く

千葉県

2016年

部位	ICD-10	集計対象数 *1	外科的治療	鏡視下治療	内視鏡的治療	放射線療法	化学療法	内分泌療法	その他の治療	特異的治療なし・不明
全部位	C00-C96	45,738	30.8	14.6	9.8	10.5	28.0	10.8	2.9	24.0
口腔・咽頭	C00-C14	1,078	49.2	0.3	3.6	31.2	26.8	0.2	0.2	24.2
食道	C15	1,235	14.4	9.3	26.3	25.5	39.9	0.1	0.8	22.2
胃	C16	6,098	25.7	14.0	34.5	0.4	21.4	0.3	1.0	19.0
大腸 (結腸・直腸)	C18-C20	7,270	31.7	34.9	15.9	1.8	29.4	0.2	1.2	16.7
結腸	C18	4,805	34.3	33.7	14.9	0.5	28.0	0.1	1.3	16.7
直腸	C19-C20	2,465	26.8	37.4	17.8	4.5	32.0	0.4	1.1	16.7
肝および肝内胆管	C22	1,687	16.2	3.0	0.2	1.5	26.7	0.1	33.5	40.3
胆のう・胆管	C23-C24	929	37.4	3.0	1.4	1.0	25.4	0.0	2.7	45.6
膵臓	C25	1,763	23.8	1.0	0.5	1.6	47.7	0.1	1.5	41.3
喉頭	C32	281	23.5	1.1	3.6	62.6	17.4	0.4	3.9	17.4
肺	C33-C34	5,542	8.5	24.3	0.1	13.2	35.0	0.1	1.6	35.1
皮膚	C43-C44	1,144	88.5	0.0	0.1	3.3	1.5	0.1	1.7	8.7
乳房 (女性のみ)	C50	4,627	70.8	2.8	0.0	33.6	30.2	53.0	1.0	13.5
乳房 (女性のみ)	C50	4,594	70.8	2.9	0.0	33.8	30.3	53.0	1.0	13.4
子宮	C53-C55	1,369	60.4	5.6	0.1	17.8	35.8	0.9	0.4	17.3
子宮頸部	C53	561	41.4	2.7	0.2	41.7	43.3	0.2	0.4	21.0
子宮体部	C54	794	74.9	7.7	0.1	1.3	31.1	1.4	0.4	13.2
卵巣	C56	713	72.5	2.9	0.0	0.3	44.6	0.0	0.6	19.9
前立腺	C61	4,437	9.5	17.0	1.2	13.5	3.1	50.5	0.9	21.1
膀胱	C67	1,113	17.3	4.2	65.0	4.4	31.1	1.4	16.7	19.0
腎・尿路 (膀胱除く)	C64-C66 C68	1,390	25.7	43.0	0.9	1.9	12.9	0.1	1.9	25.3
脳・中枢神経系	C70-C72	292	52.4	1.4	0.0	45.2	43.8	0.3	0.3	32.5
甲状腺	C73	840	58.7	0.1	0.0	7.6	1.7	12.9	0.5	38.6
悪性リンパ腫	C81-C85 C96	1,524	7.3	1.5	0.3	8.5	66.4	1.2	2.0	26.5
多発性骨髄腫	C88-C90	325	0.6	0.0	0.0	3.1	70.8	2.5	6.2	24.9
白血病	C91-C95	568	0.2	0.0	0.4	3.2	73.8	1.1	4.0	24.5

*1 DC0を除く総数

重複を含むため合計は100%にならない

表6. 初回治療内容割合 (%) : 部位別

B. 上皮内がんを含む

千葉県

2016年

部位	ICD-10	集計対象数 *1	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他 の治療	特異的治療なし ・不明
全部位	C00-C96 D00-D09	50,714	31.2	13.8	13.7	10.0	25.9	9.9	3.0	22.3
食道	C15 D001	1,366	13.4	8.5	31.6	23.1	36.3	0.1	0.8	21.4
大腸 (結腸・直腸) *2	C18-C20 D010-D012	9,060	25.9	29.2	30.7	1.5	23.6	0.2	1.0	13.8
結腸 *2	C18 D010	6,077	27.5	28.0	30.7	0.4	22.1	0.1	1.1	13.5
直腸 *2	C19-C20 D011-D012	2,983	22.7	31.6	30.5	3.7	26.5	0.3	1.0	14.2
肺	C33-C34 D021-D022	5,545	8.5	24.3	0.1	13.1	35.0	0.1	1.6	35.1
皮膚	C43-C44 D030-D049	1,429	88.2	0.0	0.1	2.7	1.3	0.1	2.4	9.0
乳房	C50 D05	5,267	71.7	3.2	0.0	33.9	26.7	48.2	1.0	13.1
乳房 (女性のみ)	C50 D05	5,233	71.7	3.3	0.0	34.0	26.7	48.2	1.0	13.0
子宮	C53-C55 D06	2,282	69.2	4.6	0.3	10.9	21.6	0.6	0.7	15.8
子宮頸部	C53 D06	1,474	66.8	2.9	0.3	16.2	16.8	0.1	0.8	16.4
膀胱	C67 D090	1,876	11.2	2.9	74.9	2.6	31.8	1.2	18.1	13.5

*1 DC0を除く総数

*2 粘膜がんを含む

重複を含むため合計は100%にならない

表7. 外科的・鏡視下・内視鏡的治療の範囲 (%) : 部位別

A. 上皮内がんを除く

千葉県

2016年

部位	ICD-10	集約対象数 *1	腫瘍遺残なし	腫瘍遺残あり	不明
全部位	G00-C96	24,533	87.3	10.7	1.9
口腔・咽頭	C00-C14	570	84.4	13.5	2.1
食道	C15	599	85.8	10.4	3.8
胃	C16	4,339	91.7	7.1	1.2
大腸 (結腸・直腸)	C18-C20	5,666	89.6	8.7	1.6
結腸	C18	3,770	89.2	9.2	1.6
直腸	C19-C20	1,896	90.6	7.7	1.7
肝および肝内胆管	C22	325	87.4	11.1	1.5
胆のう・胆管	C23-C24	375	82.9	15.5	1.6
膵臓	C25	443	77.9	19.9	2.3
喉頭	C32	79	83.5	8.9	7.6
肺	C33-C34	1,817	92.8	5.9	1.2
皮膚	C43-C44	1,013	93.1	5.2	1.7
乳房	C50	3,405	91.4	7.1	1.4
乳房 (女性のみ)	C50	3,382	91.5	7.1	1.4
子宮	C53-C55	902	90.6	8.2	1.2
子宮頸部	C53	246	84.1	13.8	2.0
子宮体部	C54	656	93.0	6.1	0.9
卵巣	C56	533	78.8	17.4	3.8
前立腺	C61	1,211	80.7	17.1	2.2
膀胱	C67	866	56.0	37.9	6.1
腎・尿路 (膀胱除く)	C64-C66 C68	949	93.6	5.8	0.6
脳・中枢神経系	C70-C72	157	36.9	58.0	5.1
甲状腺	C73	494	85.8	13.0	1.2
悪性リンパ腫	C81-C85 C96	138	48.6	44.2	7.2
多発性骨髄腫	C88-C90	2	50.0	50.0	0.0
白血病	C91-C95	3	0.0	33.3	66.7

*1 外科的、鏡視下、内視鏡的治療のいずれかが1:あり

表7. 外科的・鏡視下・内視鏡的治療の範囲（%）： 部位別

B. 上皮内がんを含む

千葉県

2016年

部位	ICD-10	集約対象数 *1	腫瘍遺残なし	腫瘍遺残あり	不明
全部位	C00-C96 D00-D09	29,054	88.2	9.7	2.1
食道	C15 D001	710	87.3	9.0	3.7
大腸（結腸・直腸）*2	C18-C20 D010-D012	7,423	90.8	7.2	2.0
結腸 *2	C18 D010	5,021	90.7	7.3	2.0
直腸 *2	C19-C20 D011-D012	2,402	91.0	6.9	2.1
肺	C33-C34 D021-D022	1,819	92.9	5.9	1.2
皮膚	C43-C44 D030-D049	1,261	93.9	4.5	1.6
乳房	C50 D05	3,945	91.7	6.9	1.3
乳房（女性のみ）	C50 D05	3,921	91.8	6.9	1.4
子宮	C53-C55 D06	1,682	91.3	7.1	1.5
子宮頸部	C53 D06	1,026	90.3	7.8	1.9
膀胱	C67 D090	1,567	71.3	23.8	4.9

*1 外科的、鏡視下、内視鏡的治療のいずれかが 1：あり

*2 粘膜がんを含む

表8. 精度指標： 部位別、性別

A. 上皮内がんを除く

千葉県

2016年

部位	死亡／罹患比 (MI比)		死亡情報のみの症例および遡り調査で「がん」が確認された症例 DCI (%)		死亡情報のみの症例 DCO (%)		病理学的裏付けのある症例 MV (%)		組織学的裏付けのある症例 HW (%)				
	男	女	男	女	男	女	男	女	男	女			
ICD-10													
全部位	0.37	0.33	0.36	4.4	5.2	4.7	3.1	86.1	86.4	86.2	82.8	82.9	82.9
C00-C14	0.37	0.38	0.37	2.7	4.5	3.2	2.3	94.7	92.4	94.1	92.2	88.3	91.2
C15	0.41	0.47	0.42	3.6	5.6	3.9	2.5	95.7	90.9	94.9	95.5	89.9	94.6
C16	0.32	0.36	0.33	3.8	5.0	4.1	2.7	94.8	92.8	94.2	94.5	92.5	93.9
C18-C20	0.29	0.32	0.30	3.9	5.5	4.5	3.0	93.0	89.1	91.5	92.8	88.8	91.2
C18	0.29	0.34	0.31	3.9	6.2	4.9	3.0	92.8	87.6	90.6	92.5	87.2	90.3
C19-C20	0.29	0.27	0.28	3.9	3.8	3.8	2.9	93.4	92.9	93.3	93.4	92.8	93.2
C22	0.63	0.69	0.65	8.8	14.7	10.5	7.0	37.4	29.7	35.2	36.3	28.2	34.0
C23-C24	0.77	0.83	0.80	8.6	14.3	11.1	8.5	69.2	56.6	63.7	60.8	49.4	55.8
C25	0.77	0.79	0.78	9.0	10.9	9.9	7.2	61.6	54.2	58.1	53.5	45.3	49.7
C32	0.16	0.13	0.16	0.4	0.0	0.4	0.4	96.3	93.3	96.1	94.8	93.3	94.7
C33-C34	0.62	0.51	0.59	6.7	8.8	7.3	5.8	79.8	77.8	79.2	67.9	67.8	67.9
C43-C44	0.07	0.07	0.07	0.0	0.8	0.3	0.8	98.4	97.3	97.9	98.2	97.1	97.7
C50	0.18	0.14	0.14	0.0	2.1	2.0	1.8	97.0	95.8	95.8	93.9	95.0	94.9
C53-C55	-	0.19	0.19	-	2.5	2.5	2.0	-	95.1	95.1	-	93.1	93.1
C53	-	0.21	0.21	-	2.4	2.4	2.3	-	95.6	95.6	-	92.5	92.5
C54	-	0.13	0.13	-	1.6	1.6	1.2	-	96.5	96.5	-	95.1	95.1
C56	-	0.32	0.32	-	4.1	4.1	2.7	-	88.1	88.1	-	84.3	84.3
C61	0.12	-	0.12	2.2	-	2.2	1.9	88.5	-	88.5	88.3	-	88.3
C67	0.26	0.48	0.31	3.6	8.0	4.5	3.1	90.7	81.4	88.8	84.2	74.3	82.2
C64-C66 C68	0.31	0.31	0.31	2.9	4.2	3.3	2.6	83.2	80.9	82.5	78.7	76.7	78.1
C70-C72	0.51	0.36	0.44	3.6	3.0	3.3	1.5	76.0	65.9	71.6	75.4	65.2	70.9
C73	0.12	0.08	0.09	2.9	1.1	1.5	0.9	95.6	95.8	95.8	84.5	80.3	81.3
C81-C85 C96	0.32	0.30	0.31	4.7	3.8	4.3	2.3	94.9	94.3	94.6	93.5	91.1	92.4
C88-C90	0.46	0.57	0.51	4.7	9.2	6.7	3.2	89.5	84.9	87.4	84.7	78.9	82.2
C91-C95	0.64	0.53	0.60	5.4	7.5	6.2	1.7	99.2	97.3	98.4	89.8	81.4	86.5

*1 総数は男女および性別不詳の合計

表8. 精度指標： 部位別、性別

B. 上皮内がんを含む

千葉県

2016年

部位	ICD-10	死亡／罹患比 (M1比)		死亡情報のみが確認された症例 DC1 (%)		死亡情報のみの 症例 D00 (%)		病理学的裏付けの ある症例 MV (%)		組織学的裏付けの ある症例 HV (%)							
		男	女	男	女	男	女	男	女	男	女						
全部位	C00-C96 D00-D09	0.34	0.29	0.32	4.1	4.6	4.3	2.7	3.0	2.8	87.1	88.0	87.5	84.1	84.9	84.4	
食道	C15 D001	0.37	0.42	0.38	3.3	4.9	3.6	2.0	4.0	2.3	96.1	92.0	95.4	95.9	91.1	95.1	
大腸 (結腸・直腸) *2	C18-C20 D010-D012	0.23	0.27	0.24	3.1	4.5	3.6	2.1	2.8	2.4	94.5	91.0	93.1	94.3	90.7	92.9	
結腸 *2	C18 D010	0.22	0.29	0.25	3.0	5.1	3.9	1.9	3.2	2.4	94.4	89.7	92.5	94.2	89.4	92.2	
直腸 *2	C19-C20 D011-D012	0.24	0.22	0.23	3.2	3.1	3.2	2.6	2.1	2.4	94.6	94.1	94.4	94.5	94.0	94.3	
肺	C33-C34 D021-D022	0.62	0.51	0.59	6.7	8.8	7.3	4.3	5.8	4.8	79.8	77.8	79.2	67.9	67.9	67.9	
皮膚	C43-C44 D030-D049	0.06	0.06	0.06	0.0	0.6	0.3	0.0	0.6	0.3	98.6	97.9	98.3	98.4	97.7	98.1	
乳房	C50 D05	0.18	0.12	0.12	0.0	1.8	1.8	0.0	1.6	1.6	97.1	96.3	96.3	94.1	95.5	95.5	
子宮	C53-C55 D06	-	0.12	0.12	-	1.5	1.5	-	1.2	1.2	-	97.1	97.1	97.1	-	95.4	95.4
子宮頸部	C53 D06	-	0.08	0.08	-	0.9	0.9	-	0.9	0.9	-	98.3	98.3	98.3	-	96.4	96.4
膀胱	C67 D090	0.16	0.31	0.19	2.1	5.2	2.7	1.7	2.7	1.9	94.5	88.0	93.3	89.8	82.8	88.5	

*1 総数は男女および性別不詳の合計

*2 粘膜がんを含む

表9. 死亡数、部位割合(%)、粗死亡率(人口10万対)、年齢調整死亡率(人口10万対)、累積死亡率(%)、部位別、性別 千葉県 2016年

部位	ICD-10	死亡数										粗死亡率										年齢調整死亡率										累積死亡率(0-74歳)											
		部位割合					日本人口					世界人口					日本人口					世界人口					日本人口					世界人口											
		男	女	総数	男	女	男	女	総数	男	女	男	女	総数	男	女	男	女	総数	男	女	男	女	総数	男	女	男	女	総数	男	女	男	女	総数	男	女							
全部位	C00-C97	10,336	6,462	16,798	100.0	100.0	100.0	338.2	209.7	273.7	84.1	117.6	117.6	108.0	108.0	108.0	81.3	81.3	81.3	11.6	11.6	11.6	11.6	11.6	11.6	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	8.8	8.8	8.8						
口腔・咽頭	C00-C14	300	110	410	2.9	1.7	2.4	9.8	3.6	6.7	5.0	1.5	3.2	3.5	3.5	3.5	1.1	2.2	2.2	0.4	0.4	0.4	0.4	0.4	0.4	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
食道	C15	438	93	531	4.2	1.4	3.2	14.3	3.0	8.7	6.9	1.2	3.9	4.7	4.7	4.7	0.9	2.7	2.7	0.6	0.6	0.6	0.6	0.6	0.6	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
胃	C16	1,459	634	2,093	14.1	9.8	12.5	47.7	20.6	34.1	21.9	7.6	14.1	14.6	14.6	14.6	5.3	9.6	9.6	1.6	1.6	1.6	1.6	1.6	1.6	0.5	0.5	0.5	0.5	0.5	0.5	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
大腸(結腸・直腸)	C18-C20	1,296	962	2,258	12.5	14.9	13.4	42.4	31.2	36.8	20.6	11.7	15.9	14.3	14.3	14.3	8.1	11.1	11.1	1.6	1.6	1.6	1.6	1.6	1.6	0.8	0.8	0.8	0.8	0.8	0.8	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2
結腸	C18	819	725	1,544	7.9	11.2	9.2	26.8	23.5	25.2	12.6	8.4	10.4	8.6	8.6	8.6	5.8	7.1	7.1	0.9	0.9	0.9	0.9	0.9	0.9	0.6	0.6	0.6	0.6	0.6	0.6	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
直腸	C19-C20	477	237	714	4.6	3.7	4.3	15.6	7.7	11.6	8.0	3.2	5.5	5.7	5.7	5.7	2.4	4.0	4.0	0.7	0.7	0.7	0.7	0.7	0.7	0.3	0.3	0.3	0.3	0.3	0.3	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5			
肝および肝内胆管	C22	811	360	1,171	7.8	5.6	7.0	26.5	11.7	19.1	12.4	3.8	7.8	8.4	8.4	8.4	2.5	5.2	5.2	0.9	0.9	0.9	0.9	0.9	0.9	0.2	0.2	0.2	0.2	0.2	0.2	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6			
胆のう・胆管	C23-C24	426	362	788	4.1	5.6	4.7	13.9	11.7	12.8	5.8	3.5	4.5	3.8	3.8	3.8	2.3	3.0	3.0	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2			
膵臓	C25	767	699	1,466	7.4	10.8	8.7	25.1	22.7	23.9	12.3	8.6	10.4	8.5	8.5	8.5	5.8	7.1	7.1	1.0	1.0	1.0	1.0	1.0	1.0	0.6	0.6	0.6	0.6	0.6	0.6	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8			
喉頭	C32	44	2	46	0.4	0.0	0.3	1.4	0.1	0.7	0.7	0.0	0.3	0.5	0.5	0.5	0.0	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
肺	C33-C34	2,494	925	3,419	24.1	14.3	20.4	81.6	30.0	55.7	37.3	10.9	23.0	24.9	24.9	24.9	7.4	15.4	15.4	2.7	2.7	2.7	2.7	2.7	2.7	0.8	0.8	0.8	0.8	0.8	0.8	1.7	1.7	1.7	1.7	1.7	1.7						
皮膚	C43-C44	45	39	84	0.4	0.6	0.5	1.5	1.3	1.4	0.7	0.4	0.5	0.5	0.5	0.5	0.3	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
乳房	C50	6	659	665	0.1	10.2	4.0	0.2	21.4	10.8	0.1	12.3	6.3	0.1	9.3	4.7	0.0	4.7	4.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
子宮	C53-C55	-	268	268	-	4.1	1.6	-	8.7	-	-	4.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
子宮頸部	C53	-	119	119	-	1.8	0.7	-	3.9	-	-	2.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
子宮体部	C54	-	103	103	-	1.6	0.6	-	3.3	-	-	1.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
卵巣	C56	-	237	237	-	3.7	1.4	-	7.7	-	-	4.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
前立腺	C61	550	-	550	5.3	-	3.3	18.0	-	-	7.1	-	-	4.6	-	-	-	-	-	0.4	-	-	0.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
膀胱	C67	241	114	355	2.3	1.8	2.1	7.9	3.7	5.8	3.3	1.1	2.1	2.2	2.2	2.2	0.7	1.4	1.4	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1						
腎・尿路(膀胱除く)	C64-C66 C68	304	133	437	2.9	2.1	2.6	9.9	4.3	7.1	4.7	1.4	2.9	3.3	3.3	3.3	0.9	2.0	2.0	0.3	0.3	0.3	0.3	0.3	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2						
脳・中枢神経系	C70-C72	85	47	132	0.8	0.7	0.8	2.8	1.5	2.2	2.2	0.9	1.6	2.0	2.0	2.0	0.8	1.4	1.4	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1						
甲状腺	C73	24	50	74	0.2	0.8	0.4	0.8	1.6	1.2	0.3	0.4	0.4	0.2	0.2	0.2	0.3	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0						
悪性リンパ腫	C81-C85 C96	282	204	486	2.7	3.2	2.9	9.2	6.6	7.9	4.3	2.3	3.2	2.9	2.9	2.9	1.5	2.2	2.2	0.3	0.3	0.3	0.3	0.3	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2						
多発性骨髄腫	C88-C90	87	86	173	0.8	1.3	1.0	2.8	2.8	2.8	1.3	1.0	1.1	0.8	0.8	0.8	0.7	0.8	0.8	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1						
白血病	C91-C95	225	120	345	2.2	1.9	2.1	7.4	3.9	5.6	3.8	1.5	2.6	2.8	2.8	2.8	1.1	1.9	1.9	0.3	0.3	0.3	0.3	0.3	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2						

*1 総数は男女および性別不詳の合計

表10. 年齢階級別死亡数：部位別、性別

千葉県

2016年

性別	ICD-10 部位	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	10,336	2	4	3	5	5	11	14	26	54	107	198	342	711	1,547	1,743	1,973	1,810	1,215	454	101	11	0
	口腔・咽頭	300	0	0	0	0	0	1	3	2	1	5	9	15	23	62	53	51	45	24	5	1	0	0
	食道	438	0	0	0	0	0	0	0	0	0	0	10	20	35	84	100	86	63	30	7	3	0	0
	胃	1,459	0	0	0	0	0	0	1	1	9	16	18	51	93	203	253	281	278	171	68	16	0	0
	大腸(結腸・直腸)	1,296	0	0	0	0	2	5	3	3	10	25	27	50	105	218	233	229	198	115	63	12	1	0
	結腸	819	0	0	0	0	0	3	3	3	4	16	14	22	63	126	141	145	140	85	46	10	1	0
	直腸	477	0	0	0	0	2	2	0	0	6	9	13	28	42	92	92	84	58	30	17	2	0	0
	肝および肝内胆管	811	0	0	0	0	0	0	0	0	2	2	20	36	60	122	132	156	154	96	28	3	0	0
	胆のう・胆管	426	0	0	0	0	0	0	0	1	1	3	6	3	14	54	56	88	89	73	26	11	1	0
	膵臓	767	0	0	0	0	0	0	0	0	3	12	21	38	68	127	146	158	98	64	28	2	0	0
	喉頭	44	0	0	0	0	0	0	0	0	0	0	1	1	4	7	6	8	6	8	2	0	0	0
	肺	2,494	0	0	0	0	0	0	1	5	8	21	42	63	167	365	454	509	468	285	86	17	3	0
	皮膚	45	0	0	0	0	1	0	0	0	1	0	0	0	4	4	7	7	8	8	3	2	0	0
	乳房	6	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1	1	1	0	0	0
	前立腺	550	0	0	0	0	0	0	0	0	0	0	2	3	15	56	73	102	112	120	51	15	1	0
	膀胱	241	0	0	0	0	0	0	0	0	1	0	3	3	15	21	29	43	48	44	25	6	2	0
	腎・尿路(膀胱除く)	304	0	0	1	0	0	0	0	0	1	5	6	14	23	55	40	42	57	41	11	7	1	0
	脳・中枢神経系	85	1	1	0	2	1	6	2	4	5	9	8	3	10	11	8	5	5	4	4	0	0	0
	甲状腺	24	0	0	0	0	0	0	0	0	0	0	2	0	0	4	1	7	6	3	0	1	0	0
	悪性リンパ腫	282	0	0	0	0	0	0	0	0	3	2	3	16	15	48	44	41	55	43	12	0	0	0
	多発性骨髄腫	87	0	0	0	0	0	0	0	0	0	1	1	4	4	10	14	23	16	9	3	2	0	0
	白血病	225	1	1	0	2	2	1	1	4	4	1	5	4	16	34	40	48	37	18	5	1	0	0

表10. 年齢階級別死亡数：部位別、性別

千葉県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	600-697	6,482	4	2	0	3	1	6	15	40	80	145	182	222	415	684	797	918	1,070	978	656	212	32	0
	口腔・咽頭	C00-C14	110	0	0	0	0	0	0	1	1	2	3	5	5	7	11	10	11	17	16	13	6	2	0
	食道	C15	93	0	0	0	0	0	0	0	0	2	1	3	4	8	12	8	13	18	14	8	2	0	0
	胃	C16	634	0	0	0	0	0	0	2	6	10	12	12	14	32	59	79	87	108	111	79	21	2	0
	大腸(結腸・直腸)	C18-C20	962	0	0	0	0	0	0	2	6	8	14	22	30	61	95	113	127	162	148	129	37	8	0
	結腸	C18	725	0	0	0	0	0	0	2	5	4	10	15	18	37	68	76	108	130	115	99	32	6	0
	直腸	C19-C20	237	0	0	0	0	0	0	0	1	4	4	7	12	24	27	37	19	32	33	30	5	2	0
	肝および肝内胆管	C22	360	1	0	0	0	0	0	0	1	2	5	2	4	8	23	52	63	84	69	30	15	1	0
	胆のう・胆管	C23-C24	362	0	0	0	0	0	1	0	0	0	2	4	7	9	28	24	50	74	83	57	19	4	0
	膵臓	C25	699	0	0	0	0	1	0	0	2	4	7	16	22	33	83	101	125	116	102	61	24	2	0
	喉頭	C32	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0
	肺	C33-C34	925	0	0	0	0	0	1	1	2	5	7	14	19	50	107	139	137	185	139	96	21	2	0
	皮膚	C43-C44	39	0	0	0	0	0	0	0	0	1	1	1	1	3	3	2	5	3	7	4	7	1	0
	乳房	C50	659	0	0	0	0	0	0	4	8	20	40	56	52	90	98	76	58	73	37	28	15	4	0
	子宮	C53-C55	288	0	0	0	0	0	1	0	7	9	21	14	25	25	23	28	53	18	30	9	4	1	0
	子宮頸部	C53	119	0	0	0	0	0	0	0	6	6	16	8	11	11	5	11	20	5	15	3	1	0	0
	子宮体部	C54	103	0	0	0	0	0	0	0	0	1	2	4	9	12	13	14	25	7	11	2	2	1	0
	卵巢	C56	237	0	0	0	0	0	0	1	3	5	18	13	14	26	31	39	27	23	19	13	5	0	0
	膀胱	C67	114	0	0	0	0	0	0	0	0	1	0	0	1	4	10	9	16	23	24	18	7	1	0
	腎・尿路(膀胱除く)	C64-C66 C68	133	0	0	0	0	0	0	0	0	1	2	0	2	4	12	20	22	27	23	17	3	0	0
	脳・中枢神経系	C70-C72	47	1	1	0	0	0	0	1	0	1	3	3	5	2	7	6	6	6	7	2	1	0	0
	甲状腺	C73	50	0	0	0	0	0	0	0	0	0	0	0	0	3	2	4	8	8	11	10	3	1	0
	悪性リンパ腫	C81-C85 C96	204	0	0	0	1	0	0	1	0	1	1	2	4	9	21	22	35	45	35	20	7	0	0
	多発性骨髄腫	C88-C90	86	0	0	0	0	0	0	0	0	0	1	2	1	5	13	11	8	15	19	8	2	1	0
	白血病	C91-C95	120	0	0	0	1	0	0	0	1	2	1	3	4	7	16	16	16	13	21	19	0	0	0

表10. 年齢階級別死亡数：部位別、性別

千葉県

2016年

性別	部位	10D-10	総数*1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数*2	全部位	600-097	16,788	6	6	3	8	6	17	29	66	134	252	380	564	1,126	2,231	2,540	2,891	2,880	2,193	1,110	313	43	0
	口腔・咽頭	C00-C14	410	0	0	0	0	0	1	4	3	3	8	14	20	30	73	63	62	62	40	18	7	2	0
	食道	C15	531	0	0	0	0	0	0	0	0	2	1	13	24	43	96	108	99	81	44	15	5	0	0
	胃	C16	2,093	0	0	0	0	0	0	3	7	19	28	30	65	125	262	332	368	386	282	147	37	2	0
	大腸(結腸・直腸)	C18-C20	2,258	0	0	0	0	0	2	7	9	18	39	49	80	166	313	346	356	360	263	192	49	9	0
	結腸	C18	1,544	0	0	0	0	0	0	5	8	8	26	29	40	100	194	217	253	270	200	145	42	7	0
	直腸	C19-C20	714	0	0	0	0	0	2	2	1	10	13	20	40	66	119	129	103	90	63	47	7	2	0
	肝および肝内胆管	C22	1,171	1	0	0	0	0	0	0	1	4	7	22	40	68	145	184	219	238	165	58	18	1	0
	胆のう・胆管	C23-C24	788	0	0	0	0	0	1	0	1	1	5	10	10	23	82	80	138	163	156	83	30	5	0
	膵臓	C25	1,466	0	0	0	0	1	0	0	2	7	19	37	60	101	210	247	283	214	166	89	26	4	0
	喉頭	C32	46	0	0	0	0	0	0	0	0	0	0	1	1	4	7	6	8	6	9	3	0	0	0
	肺	C33-C34	3,419	0	0	0	0	0	1	2	7	13	28	56	82	217	472	593	646	653	424	182	38	5	0
	皮膚	C43-C44	84	0	0	0	0	1	0	0	0	2	1	1	1	7	7	9	12	11	15	7	9	1	0
	乳房	C50	665	0	0	0	0	0	0	4	8	20	41	56	53	90	98	76	59	74	38	29	15	4	0
	子宮	C53-C55	288	0	0	0	0	0	1	0	7	9	21	14	25	25	23	28	53	18	30	9	4	1	0
	子宮頸部	C53	119	0	0	0	0	0	1	0	6	6	16	8	11	11	5	11	20	5	15	3	1	0	0
	子宮体部	C54	103	0	0	0	0	0	0	0	0	1	2	4	9	12	13	14	25	7	11	2	2	1	0
	卵巢	C56	237	0	0	0	0	0	0	1	3	5	18	13	14	26	31	39	27	23	19	13	5	0	0
	前立腺	C61	550	0	0	0	0	0	0	0	0	0	0	2	3	15	56	73	102	112	120	51	15	1	0
	膀胱	C67	355	0	0	0	0	0	1	0	0	2	0	3	4	19	31	38	59	71	68	43	13	3	0
	腎・尿路(膀胱除く)	C64-C66 C68	437	0	0	1	0	0	0	0	0	2	7	6	16	27	67	60	64	84	64	28	10	1	0
	脳・中枢神経系	C70-C72	132	2	2	0	2	1	6	3	4	6	12	11	8	12	18	14	11	12	6	1	1	0	0
	甲状腺	C73	74	0	0	0	0	0	0	0	0	0	0	2	0	3	6	5	15	14	14	10	4	1	0
	悪性リンパ腫	C81-C85 C96	486	0	0	0	1	0	0	1	0	4	3	5	20	24	69	66	76	100	78	32	7	0	0
	多発性骨髄腫	C88-C90	173	0	0	0	0	0	0	0	0	0	2	3	5	9	23	25	31	31	28	11	4	1	0
	白血病	C91-C95	345	1	1	0	3	2	1	1	5	6	2	8	8	23	50	56	64	64	50	39	24	1	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計