

表11-2. 年齢階級別死亡率（人口10万対、85歳以上まるめ）： 部位別、性別

千葉県

2016年

性別	部位	I0D-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳	
男	全部位	C00-C97	338.2	1.7	3.1	2.2	3.4	3.2	7.1	7.8	12.7	21.1	42.8	99.0	191.1	368.4	621.3	937.1	1,298.0	1,846.9	2,827.0	-	
	口腔・咽頭	C00-C14	9.8	0.0	0.0	0.0	0.0	0.0	0.6	1.7	1.0	0.4	2.0	4.5	8.4	11.9	24.9	28.5	33.6	45.9	47.6	-	
	食道	C15	14.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0	11.2	18.1	33.7	53.8	56.6	64.3	63.5	-	
	胃	C16	47.7	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.5	3.5	6.4	9.0	28.5	48.2	81.5	136.0	184.9	283.7	404.8	-	
	大腸（結腸・直腸）	C18-C20	42.4	0.0	0.0	0.0	0.0	0.0	1.3	2.8	1.5	3.9	10.0	13.5	27.9	54.4	87.6	125.3	150.7	202.0	303.2	-	
	結腸	C18	26.8	0.0	0.0	0.0	0.0	0.0	0.0	1.7	1.5	1.6	6.4	7.0	12.3	32.6	50.6	75.8	95.4	142.9	225.4	-	
	直腸	C19-C20	15.6	0.0	0.0	0.0	0.0	0.0	1.3	1.1	0.0	2.3	3.6	6.5	15.6	21.8	36.9	49.5	55.3	59.2	77.8	-	
	肝および肝内胆管	C22	26.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.8	10.0	20.1	31.1	49.0	71.0	102.6	157.1	201.6	-	
	胆のう・胆管	C23-C24	13.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.4	1.2	3.0	1.7	7.3	21.7	30.1	57.9	90.8	176.2	-	
	膵臓	C25	25.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	4.8	10.5	21.2	35.2	51.0	78.5	103.9	100.0	152.4	-	
	喉頭	C32	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.5	0.6	2.1	2.8	3.2	5.3	6.1	15.9	-	
	肺	C33-C34	81.6	0.0	0.0	0.0	0.0	0.0	0.0	0.6	2.4	3.1	8.4	21.0	35.2	86.5	146.6	244.1	334.9	477.6	620.6	-	
	皮膚	C43-C44	1.5	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.4	0.0	0.0	0.0	2.1	1.6	3.8	4.6	8.2	20.6	-	
	乳房	C50	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.6	0.0	0.0	0.0	0.7	1.0	3.2	-	
	前立腺	C61	18.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.7	7.8	22.5	39.2	67.1	114.3	296.8	-	
	膀胱	C67	7.9	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.4	0.0	1.5	1.7	7.8	8.4	15.6	28.3	49.0	122.2	-	
	腎・尿路（膀胱除く）	C64-C66 C68	9.9	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.4	2.0	3.0	7.8	11.9	22.1	21.5	27.6	58.2	95.2	-	
	脳・中枢神経系	C70-C72	2.8	0.8	0.8	0.0	1.4	0.6	3.8	1.1	2.0	2.0	3.6	4.0	1.7	5.2	4.4	4.3	3.3	4.6	5.1	6.3	-
	甲状腺	C73	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	1.6	0.5	4.6	6.1	6.3	-	
	悪性リンパ腫	C81-C85 C96	9.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.8	1.5	8.9	7.8	19.3	23.7	27.0	56.1	87.3	-	
	多発性骨髄腫	C88-C90	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.5	2.2	2.1	4.0	7.5	15.1	16.3	22.2	-	
	白血病	C91-C95	7.4	0.8	0.8	0.0	1.4	1.3	0.6	0.6	2.0	1.6	0.4	2.5	2.2	8.3	13.7	21.5	31.6	37.8	38.1	-	

表11-2. 年齢階級別死亡率（人口10万対、85歳以上まるめ）： 部位別、性別

千葉県

2016年

性別	部位	I0D-10	総数*1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳	
女	全部位	C00-C97	209.7	3.5	1.6	0.0	2.2	0.7	4.1	8.9	20.8	33.6	63.3	97.8	129.1	211.7	259.1	390.7	540.0	835.9	1,380.9	-	
	口腔・咽頭	C00-C14	3.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.5	0.8	1.3	2.7	3.6	4.2	4.9	6.5	13.3	27.2	-	
	食道	C15	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.4	1.6	2.3	4.1	4.5	3.9	7.6	14.1	17.6	-
	胃	C16	20.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	3.1	4.2	5.2	6.5	8.1	16.3	22.3	38.7	51.2	84.4	156.6	-
	大腸（結腸・直腸）	C18-C20	31.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	3.1	3.4	6.1	11.8	17.4	31.1	36.0	55.4	74.7	126.6	236.8	-
	結腸	C18	23.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	2.6	1.7	4.4	8.1	10.5	18.9	25.8	37.3	63.5	101.6	185.3	-
	直腸	C19-C20	7.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.7	1.7	3.8	7.0	12.2	10.2	18.1	11.2	25.0	51.5	-
	肝および肝内胆管	C22	11.7	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.8	2.2	1.1	2.3	4.1	8.7	25.5	37.1	65.6	84.6	-
	胆のう・胆管	C23-C24	11.7	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.9	2.2	4.1	4.6	10.6	11.8	29.4	57.8	119.9	-
	脾臓	C25	22.7	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	1.0	1.7	3.1	8.6	12.8	16.8	31.4	49.5	73.5	90.6	139.0	-
	喉頭	C32	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	-
	肺	C33-C34	30.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.6	1.0	2.1	3.1	7.5	11.0	25.5	40.5	68.1	80.6	144.5	189.7	-
	皮膚	C43-C44	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.5	0.6	1.5	1.1	1.0	2.9	2.3	14.0	-
	乳房	C50	21.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	4.2	8.4	17.5	30.1	30.2	45.9	37.1	37.3	34.1	57.0	61.8	-
	子宮	C53-C55	8.7	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	3.6	3.8	9.2	7.5	14.5	12.8	8.7	13.7	31.2	14.1	32.4	-
	子宮頸部	C53	3.9	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	3.1	2.5	7.0	4.3	6.4	5.6	1.9	5.4	11.8	3.9	14.0	-
	子宮体部	C54	3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.9	2.2	5.2	6.1	4.9	6.9	14.7	5.5	11.8	-
	卵巣	C56	7.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.6	2.1	7.9	7.0	8.1	13.3	11.7	19.1	15.9	18.0	27.2	-
	膀胱	C67	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.6	2.0	3.8	4.4	9.4	18.0	36.8	-
	腎・尿路（膀胱除く）	C64-C66 C68	4.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.9	0.0	1.2	2.0	4.5	9.8	12.9	21.1	31.6	-
	脳・中枢神経系	C70-C72	1.5	0.9	0.8	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.4	1.3	1.6	2.9	1.0	2.7	2.9	3.5	5.5	2.9	-
	甲状腺	C73	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.8	2.0	4.7	6.3	18.4	-
	悪性リンパ腫	C81-C85 C96	6.6	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.6	0.0	0.4	0.4	1.1	2.3	4.6	8.0	10.8	20.6	35.2	45.6	-
	多発性骨髄腫	C88-C90	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.1	0.6	2.6	4.9	5.4	4.7	11.7	22.1	-
	白血病	C91-C95	3.9	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.5	0.8	0.4	1.6	2.3	3.6	6.1	7.8	9.4	10.2	29.4	-

表11-2. 年齢階級別死亡率（人口10万対、85歳以上まるめ）： 部位別、性別

千葉県

2016年

性別	部位	10D-10	総数*1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数*2	全部位	C00-C97	273.7	2.6	2.4	1.1	2.8	2.0	5.6	8.3	16.6	27.1	52.6	98.4	160.7	289.5	434.9	651.3	897.8	1,274.3	1,838.7	-
	口腔・咽頭	C00-C14	6.7	0.0	0.0	0.0	0.0	0.0	0.3	1.1	0.8	0.6	1.7	3.6	5.7	7.7	14.2	16.2	19.3	27.4	33.7	-
	食道	C15	8.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.2	3.4	6.8	11.1	18.7	27.7	30.7	35.8	32.2	-
	胃	C16	34.1	0.0	0.0	0.0	0.0	0.0	0.0	0.9	1.8	3.8	5.8	7.8	18.5	32.1	51.1	85.1	114.3	170.8	235.2	-
	大腸（結腸・直腸）	C18-C20	36.8	0.0	0.0	0.0	0.0	0.0	0.7	2.0	2.3	3.6	8.1	12.7	22.8	42.7	61.0	88.7	110.6	159.3	257.8	-
	結腸	C18	25.2	0.0	0.0	0.0	0.0	0.0	0.0	1.4	2.0	1.6	5.4	7.5	11.4	25.7	37.8	55.6	78.6	119.5	198.0	-
	直腸	C19-C20	11.6	0.0	0.0	0.0	0.0	0.0	0.7	0.6	0.3	2.0	2.7	5.2	11.4	17.0	23.2	33.1	32.0	39.8	59.8	-
	肝および肝内胆管	C22	19.1	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.8	1.5	5.7	11.4	17.5	28.3	47.2	68.0	105.3	121.6	-
	胆のう・胆管	C23-C24	12.8	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.3	0.2	1.0	2.6	2.8	5.9	16.0	20.5	42.9	72.1	137.7	-
	脾臓	C25	23.9	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.5	1.4	4.0	9.6	17.1	26.0	40.9	63.3	87.9	94.7	143.2	-
	喉頭	C32	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.3	1.0	1.4	1.5	2.5	2.7	6.0	-
	肺	C33-C34	55.7	0.0	0.0	0.0	0.0	0.0	0.3	0.6	1.8	2.6	5.8	14.5	23.4	55.8	92.0	152.1	200.6	288.9	326.1	-
	皮膚	C43-C44	1.4	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.4	0.2	0.3	0.3	1.8	1.4	2.3	3.7	4.9	16.1	-
	乳房	C50	10.8	0.0	0.0	0.0	0.0	0.0	0.0	1.1	2.0	4.0	8.6	14.5	15.1	23.1	19.1	19.5	18.3	32.7	43.2	-
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	5.8	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.4	0.0	0.8	1.1	4.9	6.0	9.7	18.3	31.4	63.8	-
	腎・尿路（膀胱除く）	C64-C66 C68	7.1	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.4	1.5	1.6	4.6	6.9	13.1	15.4	19.9	37.2	51.8	-
	脳・中枢神経系	C70-C72	2.2	0.9	0.8	0.0	0.7	0.3	2.0	0.9	1.0	1.2	2.5	2.8	2.3	3.1	3.5	3.6	3.4	5.3	4.0	-
	甲状腺	C73	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.8	1.2	1.3	4.7	6.2	14.6	-
	悪性リンパ腫	C81-C85 C96	7.9	0.0	0.0	0.0	0.3	0.0	0.0	0.3	0.0	0.8	0.6	1.3	5.7	6.2	13.5	16.9	23.6	44.2	58.8	-
	多発性骨髄腫	C88-C90	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.8	1.4	2.3	4.5	6.4	9.6	13.7	22.1	-
	白血病	C91-C95	5.6	0.4	0.4	0.0	1.0	0.7	0.3	0.3	1.3	1.2	0.4	2.1	2.3	5.9	9.7	14.4	19.9	22.1	32.2	-

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

付表1. 罹患数、部位割合(%)、粗罹患率(人口10万対)、年齢調整罹患率(人口10万対)、累積罹患率(%) : 詳細部位別、性別

千葉県

2016年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	C00-C96 D00-D47	30,884	22,798	53,684	100.0	100.0	100.0	996.6	727.0	861.0	524.2	433.0	469.4	373.3	328.4	344.7	44.7	35.4	39.6
全部位	C00-C96	27,809	19,401	47,212	90.0	85.1	87.9	897.4	618.7	757.2	467.3	350.3	400.8	331.5	263.4	292.2	39.7	28.8	33.9
口唇	C00	6	5	11	0.0	0.0	0.0	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.0	0.1	0.0	0.0	0.0
舌根<基底>部	C01	22	5	27	0.1	0.0	0.1	0.7	0.2	0.4	0.4	0.1	0.2	0.3	0.0	0.2	0.0	0.0	0.0
その他および部位不明の舌	C02	175	102	277	0.6	0.4	0.5	5.6	3.3	4.4	3.5	2.1	2.8	2.6	1.7	2.1	0.3	0.2	0.2
歯肉	C03	76	59	135	0.2	0.3	0.3	2.5	1.9	2.2	1.3	0.7	1.0	0.9	0.5	0.7	0.1	0.0	0.1
口腔底	C04	33	9	42	0.1	0.0	0.1	1.1	0.3	0.7	0.6	0.1	0.4	0.5	0.1	0.3	0.1	0.0	0.0
口蓋	C05	23	10	33	0.1	0.0	0.1	0.7	0.3	0.5	0.4	0.2	0.3	0.3	0.2	0.2	0.0	0.0	0.0
その他および部位不明の口腔	C06	27	20	47	0.1	0.1	0.1	0.9	0.6	0.8	0.4	0.2	0.3	0.3	0.2	0.2	0.0	0.0	0.0
耳下腺	C07	44	20	64	0.1	0.1	0.1	1.4	0.6	1.0	1.0	0.4	0.7	0.7	0.4	0.5	0.1	0.0	0.1
その他および部位不明の大唾液腺	C08	25	10	35	0.1	0.0	0.1	0.8	0.3	0.6	0.5	0.2	0.4	0.4	0.2	0.3	0.0	0.0	0.0
扁桃	C09	24	6	30	0.1	0.0	0.1	0.8	0.2	0.5	0.5	0.1	0.3	0.4	0.0	0.2	0.1	0.0	0.0
中咽頭	C10	100	20	120	0.3	0.1	0.2	3.2	0.6	1.9	1.8	0.4	1.1	1.3	0.3	0.8	0.2	0.0	0.1
鼻<上>咽頭	C11	26	8	34	0.1	0.0	0.1	0.8	0.3	0.5	0.6	0.2	0.4	0.5	0.1	0.3	0.1	0.0	0.0
梨状陥凹<洞>	G12	125	4	129	0.4	0.0	0.2	4.0	0.1	2.1	2.1	0.1	1.1	1.5	0.1	0.8	0.2	0.0	0.1
下咽頭	C13	98	11	109	0.3	0.0	0.2	3.2	0.4	1.7	1.7	0.3	0.9	1.2	0.2	0.7	0.2	0.0	0.1
その他および部位不明の口唇、口腔および咽頭	C14	8	2	10	0.0	0.0	0.0	0.3	0.1	0.2	0.1	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0
食道	C15	1,069	198	1,267	3.5	0.9	2.4	34.5	6.3	20.3	17.6	3.1	10.0	12.3	2.2	7.1	1.6	0.3	0.9
胃	C16	4,494	1,773	6,267	14.6	7.8	11.7	145.0	56.5	100.5	71.7	24.3	46.6	49.1	16.7	32.0	5.9	1.9	3.9
小腸	C17	97	48	145	0.3	0.2	0.3	3.1	1.5	2.3	1.8	0.9	1.3	1.3	0.7	1.0	0.2	0.1	0.1
結腸	C18	2,849	2,106	4,955	9.2	9.2	9.2	91.9	67.2	79.5	48.2	30.9	39.1	33.9	21.9	27.7	4.1	2.5	3.3
直腸S状結腸移行部	C19	391	192	584	1.3	0.8	1.1	12.6	6.1	9.4	7.1	3.4	5.1	5.1	2.5	3.8	0.6	0.3	0.5
直腸	C20	1,268	686	1,954	4.1	3.0	3.6	40.9	21.9	31.3	23.8	11.8	17.6	17.6	8.6	13.0	2.2	1.0	1.6
肛門および肛門管	C21	28	26	54	0.1	0.1	0.1	0.9	0.8	0.9	0.6	0.4	0.5	0.4	0.3	0.4	0.1	0.0	0.0
肝および肝内胆管	C22	1,288	525	1,814	4.2	2.3	3.4	41.6	16.7	29.1	21.1	6.4	13.4	14.7	4.3	9.3	1.7	0.5	1.1
胆のう	C23	156	200	356	0.5	0.9	0.7	5.0	6.4	5.7	2.4	2.3	2.3	1.6	1.5	1.5	0.2	0.1	0.2
その他および部位不明の胆道	C24	400	235	635	1.3	1.0	1.2	12.9	7.5	10.2	5.9	2.5	4.1	3.9	1.6	2.7	0.4	0.2	0.3
膵臓	C25	998	889	1,887	3.2	3.9	3.5	32.2	28.3	30.3	16.8	11.7	14.2	11.9	8.1	10.0	1.5	0.9	1.2
その他および部位不明の消化器	C26	29	17	46	0.1	0.1	0.1	0.9	0.5	0.7	0.5	0.2	0.4	0.4	0.2	0.3	0.0	0.0	0.0
鼻腔および中耳	C30	23	16	39	0.1	0.1	0.1	0.7	0.5	0.6	0.4	0.3	0.4	0.3	0.3	0.3	0.0	0.0	0.0
副鼻腔	C31	39	20	59	0.1	0.1	0.1	1.3	0.6	0.9	0.7	0.5	0.6	0.6	0.4	0.5	0.1	0.0	0.1
喉頭	C32	267	15	282	0.9	0.1	0.5	8.6	0.5	4.5	4.5	0.2	2.2	3.1	0.2	1.6	0.4	0.0	0.2
気管	C33	3	2	5	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	C34	4,021	1,795	5,816	13.0	7.9	10.8	129.8	57.2	93.3	64.0	25.7	43.5	44.4	18.1	30.4	5.5	2.2	3.8
胸腺	C37	52	32	84	0.2	0.1	0.2	1.7	1.0	1.3	1.0	0.7	0.8	0.7	0.5	0.6	0.1	0.1	0.1
心臓、縦隔および胸膜	C38	24	8	32	0.1	0.0	0.1	0.8	0.3	0.5	0.6	0.2	0.4	0.5	0.2	0.3	0.0	0.0	0.0
その他および部位不明の呼吸器系および胸腔内臓器	C39	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(四) 肢の骨および関節軟骨	C40	6	9	15	0.0	0.0	0.0	0.2	0.3	0.2	0.2	0.3	0.2	0.2	0.3	0.2	0.0	0.0	0.0
その他および部位不明の骨および関節軟骨	C41	18	11	29	0.1	0.0	0.1	0.6	0.4	0.5	0.4	0.3	0.4	0.3	0.3	0.3	0.0	0.0	0.0
皮膚の悪性黒色腫	C43	48	47	95	0.2	0.2	0.2	1.5	1.5	1.5	0.9	0.8	0.8	0.6	0.6	0.6	0.1	0.1	0.1
皮膚のその他	C44	576	477	1,053	1.9	2.1	2.0	18.6	15.2	16.9	9.2	6.2	7.6	6.4	4.5	5.4	0.7	0.4	0.5
中皮腫	C45	48	12	60	0.2	0.1	0.1	1.5	0.4	1.0	0.8	0.2	0.5	0.5	0.2	0.3	0.1	0.0	0.0
カポジ肉腫	C46	3	0	3	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
末梢神経および自律神経系の悪性新生物	C47	0	3	3	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
後腹膜および腹膜	C48	29	61	90	0.1	0.3	0.2	0.9	1.9	1.4	0.6	1.2	0.9	0.5	0.8	0.7	0.1	0.1	0.1
その他の結合組織および軟部組織	C49	77	59	136	0.2	0.3	0.3	2.5	1.9	2.2	1.6	1.3	1.4	1.3	1.1	1.2	0.1	0.1	0.1
乳房	C50	33	4,678	4,711	0.1	20.5	8.8	1.1	149.2	75.6	0.6	105.3	52.9	0.5	81.3	40.7	0.1	8.9	4.5
外陰	C51	-	38	38	-	0.2	0.1	-	1.2	-	-	0.5	-	-	0.3	-	-	0.0	-
陰	C52	-	19	19	-	0.1	0.0	-	0.6	-	-	0.2	-	-	0.2	-	-	0.0	-
子宮頸部	C53	-	574	574	-	2.5	1.1	-	18.3	-	-	14.9	-	-	11.6	-	-	1.2	-
子宮体部	C54	-	804	804	-	3.5	1.5	-	25.6	-	-	19.2	-	-	14.8	-	-	1.7	-
子宮部位不明	C55	-	19	19	-	0.1	0.0	-	0.6	-	-	0.2	-	-	0.1	-	-	0.0	-
卵巣	C56	-	733	733	-	3.2	1.4	-	23.4	-	-	17.7	-	-	14.1	-	-	1.4	-
その他および部位不明の女性性器	C57	-	44	44	-	0.2	0.1	-	1.4	-	-	1.0	-	-	0.8	-	-	0.1	-
胎盤	C58	-	2	2	-	0.0	0.0	-	0.1	-	-	0.1	-	-	0.1	-	-	0.0	-
陰茎	C60	21	-	21	0.1	-	0.0	0.7	-	-	0.3	-	-	0.2	-	-	0.0	-	-
前立腺	C61	4,521	-	4,521	14.6	-	8.4	145.9	-	-	69.6	-	-	47.1	-	-	6.1	-	-
精巣	C62	128	-	128	0.4	-	0.2	4.1	-	-	4.6	-	-	4.1	-	-	0.3	-	-
その他および部位不明の男性性器	C63	16	-	16	0.1	-	0.0	0.5	-	-	0.3	-	-	0.2	-	-	0.0	-	-
腎盂を除く腎	C64	706	296	1,002	2.3	1.3	1.9	22.8	9.4	16.1	13.6	5.1	9.2	10.0	3.9	6.9	1.2	0.4	0.8
腎盂	C65	150	64	214	0.5	0.3	0.4	4.8	2.0	3.4	2.4	0.8	1.5	1.7	0.5	1.0	0.2	0.1	0.1
尿管	C66	125	62	187	0.4	0.3	0.3	4.0	2.0	3.0	1.9	0.7	1.3	1.4	0.5	0.9	0.2	0.1	0.1
膀胱	C67	912	237	1,149	3.0	1.0	2.1	29.4	7.6	18.4	14.3	2.8	8.2	9.8	1.9	5.6	1.1	0.2	0.6
その他および部位不明の泌尿器	C68	10	8	18	0.0	0.0	0.0	0.3	0.3	0.3	0.1	0.1	0.1	0.1	0.0	0.1	0.0	0.0	0.0
眼および付属器	C69	7	11	18	0.0	0.0	0.0	0.2	0.4	0.3	0.2	0.4	0.3	0.3	0.5	0.4	0.0	0.0	0.0
髄膜	C70	7	5	12	0.0	0.0	0.0	0.2	0.2	0.2	0.2	0.1	0.1	0.2	0.0	0.1	0.0	0.0	0.0
脳	C71	148	117	265	0.5	0.5	0.5	4.8	3.7	4.3	4.0	3.1	3.5	3.6	2.9	3.2	0.3	0.2	0.3
脊髄、脳神経および中枢神経系のその他の部位	C72	12	10	22	0.0	0.0	0.0	0.4	0.3	0.4	0.3	0.3	0.3	0.3	0.4	0.3	0.0	0.0	0.0
甲状腺	C73	206	644	850	0.7	2.8	1.6	6.6	20.5	13.6	4.7	15.4	10.0	3.6	12.2	7.9	0.4	1.3	0.9
副腎	C74	10	11	21	0.0	0.0	0.0	0.3	0.4	0.3	0.4	0.4	0.4	0.5	0.4	0.4	0.0	0.0	0.0
その他の内分泌腺および関連組織	C75	16	10	26	0.1	0.0	0.0	0.5	0.3	0.4	0.5	0.4	0.4	0.6	0.4	0.5	0.0	0.0	0.0
その他および不明な部位	C76	9	8	17	0.0	0.0	0.0	0.3	0.3	0.3	0.2	0.2	0.2	0.1	0.1	0.1	0.0	0.0	0.0
リンパ節の続発性および部位不明	C77	4	4	8	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0
呼吸器および消化器の続発性	C78	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他の部位の続発性	C79	0	0	0	0.0	0.0	0.0	0.0											

付表1. 罹患数、部位割合（%）、粗罹患率（人口10万対）、年齢調整罹患率（人口10万対）、累積罹患率（%）： 詳細部位別、性別

千葉県

2016年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
上皮内がん	D00-D09	2,354	2,622	4,976	7.6	11.5	9.3	76.0	83.6	79.8	41.7	65.8	52.7	29.8	51.5	39.9	3.7	5.1	4.4
口腔、食道および胃	D00	161	38	199	0.5	0.2	0.4	5.2	1.2	3.2	2.8	0.7	1.7	2.0	0.5	1.2	0.3	0.1	0.2
食道	D001	105	26	131	0.3	0.1	0.2	3.4	0.8	2.1	1.8	0.4	1.1	1.3	0.3	0.8	0.2	0.0	0.1
その他および部位不明の消化器	D01	1,336	725	2,061	4.3	3.2	3.8	43.1	23.1	33.1	24.9	12.5	18.5	18.1	9.1	13.5	2.3	1.2	1.7
結腸	D010	839	433	1,272	2.7	1.9	2.4	27.1	13.8	20.4	15.5	7.4	11.3	11.3	5.3	8.2	1.4	0.7	1.0
直腸S状結腸移行部	D011	73	45	118	0.2	0.2	0.2	2.4	1.4	1.9	1.3	1.0	1.1	0.9	0.7	0.8	0.1	0.1	0.1
直腸	D012	268	132	400	0.9	0.6	0.7	8.6	4.2	6.4	5.2	2.4	3.7	3.8	1.8	2.8	0.5	0.2	0.4
中耳および呼吸器系	D02	15	4	19	0.0	0.0	0.0	0.5	0.1	0.3	0.3	0.1	0.2	0.2	0.0	0.1	0.0	0.0	0.0
気管	D021	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	D022	2	1	3	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
上皮内黒色腫	D03	10	12	22	0.0	0.1	0.0	0.3	0.4	0.4	0.2	0.3	0.2	0.1	0.2	0.2	0.0	0.0	0.0
皮膚のその他	D04	136	127	263	0.4	0.6	0.5	4.4	4.0	4.2	2.1	1.5	1.8	1.4	1.0	1.2	0.1	0.1	0.1
乳房	D05	1	639	640	0.0	2.8	1.2	0.0	20.4	10.3	0.0	16.0	7.9	0.0	12.4	6.2	0.0	1.3	0.7
子宮頸部	D06	-	913	913	-	4.0	1.7	-	29.1	-	-	32.1	-	-	26.3	-	-	2.2	-
その他および部位不明の性器	D07	11	21	32	0.0	0.1	0.1	0.4	0.7	0.5	0.2	0.5	0.3	0.1	0.4	0.3	0.0	0.0	0.0
その他および部位不明	D09	684	143	827	2.2	0.6	1.5	22.1	4.6	13.3	11.3	2.2	6.5	7.9	1.5	4.5	1.0	0.2	0.6
膀胱	D090	634	129	763	2.1	0.6	1.4	20.5	4.1	12.2	10.5	2.0	6.0	7.3	1.4	4.2	0.9	0.2	0.5
良性腫瘍	D32-D35	253	449	702	0.8	2.0	1.3	8.2	14.3	11.3	5.8	10.5	8.1	4.5	8.3	6.4	0.5	0.9	0.7
髄膜	D32	107	284	391	0.3	1.2	0.7	3.5	9.1	6.3	2.1	5.8	3.9	1.5	4.4	2.9	0.1	0.5	0.3
脳および中枢神経系	D33	72	75	147	0.2	0.3	0.3	2.3	2.4	2.4	1.9	2.1	2.0	1.7	1.8	1.7	0.2	0.2	0.2
下垂体	D332	73	90	163	0.2	0.4	0.3	2.4	2.9	2.6	1.7	2.6	2.1	1.3	2.1	1.7	0.1	0.2	0.2
頭蓋咽頭管	D333	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
松果体	D334	1	0	1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
性状不詳	D42-D47	441	299	740	1.4	1.3	1.4	14.2	9.5	11.9	8.5	5.7	7.0	6.6	4.6	5.6	0.7	0.5	0.6
髄膜	D42	16	19	35	0.1	0.1	0.1	0.5	0.6	0.6	0.3	0.4	0.3	0.2	0.3	0.3	0.0	0.0	0.0
脳および中枢神経系	D43	84	75	159	0.3	0.3	0.3	2.7	2.4	2.6	2.2	1.7	1.9	2.0	1.5	1.8	0.2	0.1	0.2
下垂体	D443	8	12	20	0.0	0.1	0.0	0.3	0.4	0.3	0.1	0.3	0.2	0.1	0.3	0.2	0.0	0.0	0.0
頭蓋咽頭管	D444	10	12	22	0.0	0.1	0.0	0.3	0.4	0.4	0.3	0.3	0.3	0.3	0.2	0.3	0.0	0.0	0.0
松果体	D445	2	4	6	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.0	0.0	0.0
真正赤血球増多症	D45	28	18	46	0.1	0.1	0.1	0.9	0.6	0.7	0.6	0.3	0.5	0.5	0.2	0.4	0.1	0.0	0.0
骨髄異形成症候群	D46	230	106	336	0.7	0.5	0.6	7.4	3.4	5.4	3.7	1.6	2.6	2.6	1.2	1.8	0.3	0.1	0.2
慢性骨髄増殖性疾患	D471	16	14	30	0.1	0.1	0.1	0.5	0.4	0.5	0.2	0.2	0.2	0.1	0.2	0.2	0.0	0.0	0.0
本態性（出血性）血小板血症	D473	42	33	75	0.1	0.1	0.1	1.4	1.1	1.2	0.9	0.6	0.7	0.7	0.5	0.6	0.1	0.1	0.1

*1 総数は男女および性別不詳の合計

付表2. 死亡数、部位割合（％）、粗死亡率（人口10万対）、年齢調整死亡率（人口10万対）、累積死亡率（％）： 詳細部位別、性別

千葉県

2016年

部位	ICD-10	死亡数			部位割合			粗死亡率			年齢調整死亡率						累積死亡率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
上皮内がん	D00-D09	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
口腔、食道および胃	D00	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
食道	D001	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明の消化器	D01	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
結腸	D010	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
直腸S状結腸移行部	D011	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
直腸	D012	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
中耳および呼吸器系	D02	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管	D021	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	D022	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
上皮内黒色腫	D03	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
皮膚のその他	D04	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
乳房	D05	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
子宮頸部	D06	-	0	0	-	0.0	0.0	-	0.0	-	0.0	-	0.0	-	0.0	-	0.0	-	0.0
その他および部位不明の性器	D07	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明	D09	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
膀胱	D090	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
良性腫瘍	D32-D35	4	4	8	0.0	0.1	0.0	0.1	0.1	0.1	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.0
髄膜	D32	4	3	7	0.0	0.0	0.0	0.1	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
脳および中枢神経系	D33	0	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
下垂体	D332	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
頭蓋咽頭管	D333	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
松果体	D334	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
性状不詳	D42-D47	185	129	314	1.7	1.9	1.8	6.1	4.2	5.1	3.1	1.3	2.1	2.2	0.9	1.5	0.2	0.1	0.1
髄膜	D42	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
脳および中枢神経系	D43	57	51	108	0.5	0.8	0.6	1.9	1.7	1.8	1.2	0.6	0.9	1.0	0.4	0.7	0.1	0.0	0.1
下垂体	D443	1	3	4	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
頭蓋咽頭管	D444	3	3	6	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0
松果体	D445	1	0	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
真正赤血球増多症	D45	1	3	4	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
骨髄異形成症候群	D46	112	64	176	1.1	1.0	1.0	3.7	2.1	2.9	1.6	0.6	1.0	1.0	0.4	0.7	0.1	0.0	0.1
慢性骨髄増殖性疾患	D471	6	0	6	0.1	0.0	0.0	0.2	0.0	0.1	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
本態性（出血性）血小板血症	D473	2	2	4	0.0	0.0	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

*1 総数は男女および性別不詳の合計