

マアジの粗脂肪量


水揚日:令和2年11月5日

船名:32 海栄丸 漁場:35°45'N 141°00'E(一の島沖)

Lipid content of Japanese horse mackerels

Landing day :November 5, 2020

Fishing ground : Off the coast of Ichinoshima, Japan
35°45'N 141°00'E



No.	尾叉長cm Fork length	体重g Body weight	粗脂肪量% Lipid content	No.	尾叉長cm Fork length	体重g Body weight	粗脂肪量% Lipid content
1	28.7	266.9	5.1	11	26.9	241.0	4.4
2	29.3	276.0	7.2	12	25.5	203.2	5.1
3	28.0	269.5	5.1	13	26.6	228.5	4.4
4	29.0	285.4	2.3	14	24.6	198.1	3.7
5	27.0	245.5	4.4	15	24.8	197.1	7.2
6	30.1	304.7	3.7	16	25.8	212.9	0.9
7	28.5	258.8	5.8	17	24.4	186.4	5.1
8	27.8	253.3	3.7	18	24.9	192.7	2.3
9	28.6	267.3	6.5	19	23.0	155.4	0.9
10	26.8	248.0	4.4	20	25.3	199.2	5.8

千葉県水産総合研究センター銚子分室 TEL 0479-24-9796

Chiba Prefectural Fisheries Reserch Center

千葉県農林水産技術会議