

マアジの粗脂肪量


水揚日: 令和2年5月8日

船名: 8 正福丸 漁場: 35°37'N 140°58'E (犬吠埼沖)

Lipid content of Japanese horse mackerels

Landing day : May 8, 2020

Fishing ground : Off the coast of Inubosaki, Japan
35°37'N 140°58'E



No.	尾叉長cm Fork length	体重g Body weight	粗脂肪量% Lipid content	No.	尾叉長cm Fork length	体重g Body weight	粗脂肪量% Lipid content
1	30.9	331.3	3.0	11	26.0	205.7	2.3
2	30.5	348.0	4.4	12	24.5	177.5	3.0
3	29.5	255.0	5.1	13	24.8	168.7	3.0
4	29.0	276.6	2.3	14	23.9	170.0	2.3
5	28.0	270.1	4.4	15	23.2	146.3	3.7
6	28.0	255.7	4.4	16	23.0	144.6	3.0
7	27.4	224.2	5.1	17	22.5	165.5	4.4
8	28.3	237.8	5.1	18	20.0	93.2	3.7
9	25.0	193.4	4.4	19	20.4	96.5	5.1
10	24.2	194.0	3.0	20	20.2	95.1	4.4

千葉県水産総合研究センター銚子分室 TEL 0479-24-9796

Chiba Prefectural Fisheries Reserch Center

千葉県農林水産技術会議