

マイワシの粗脂肪量

水揚日:令和2年2月19日


船名:12 大師丸 漁場:34°35'N 138°48'E(石廊崎沖)

Lipid content of Japanese sardines

Landing day : February 19, 2020

Fishing ground : Off the coast of Irozaki, Japan

34°35'N 138°48'E



No.	体長cm Standard length	体重g Body weight	粗脂肪量% Lipid content	No.	体長cm Standard length	体重g Body weight	粗脂肪量% Lipid content
1	21.7	132.6	31.9	11	17.3	63.4	23.2
2	20.4	105.9	23.2	12	17.7	65.0	18.3
3	19.3	96.4	20.8	13	18.5	71.7	13.4
4	19.1	105.4	31.3	14	17.2	58.2	14.0
5	18.8	83.4	22.6	15	17.3	61.0	15.2
6	19.5	91.3	26.3	16	16.4	54.2	17.1
7	18.3	73.5	21.4	17	17.8	60.2	12.7
8	17.3	69.1	28.2	18	15.9	49.3	17.1
9	17.6	82.0	22.0	19	16.2	53.0	16.4
10	16.9	63.3	28.2	20	14.7	37.6	10.9

千葉県水産総合研究センター銚子分室 TEL 0479-24-9796

Chiba Prefectural Fisheries Reserch Center

千葉県農林水産技術会議