

マイワシの粗脂肪量

水揚日:令和2年7月31日


船名:3 清栄丸 漁場:35°38'N 141°06'E(犬吠埼沖)

Lipid content of Japanese sardines

Landing day : July 31, 2020

Fishing ground : Off the coast of Inubo, Japan

35°38'N 141°06'E



No.	体長cm Standard length	体重g Body weight	粗脂肪量% Lipid content	No.	体長cm Standard length	体重g Body weight	粗脂肪量% Lipid content
1	20.2	120.2	21.4	11	18.6	93.6	20.1
2	19.9	113.5	22.0	12	17.9	84.4	22.6
3	19.7	104.2	21.4	13	18.4	84.1	19.5
4	19.1	107.0	19.5	14	18.4	90.6	20.1
5	19.1	102.1	25.1	15	18.0	83.0	18.3
6	18.4	92.3	22.0	16	17.4	70.9	19.5
7	18.3	83.5	20.8	17	17.1	72.4	20.1
8	18.3	83.3	19.5	18	18.0	78.7	17.7
9	18.2	82.7	16.4	19	17.3	76.9	20.1
10	17.8	85.2	22.0	20	18.0	82.5	18.3

千葉県水産総合研究センター銚子分室 TEL 0479-24-9796

Chiba Prefectural Fisheries Reserch Center

千葉県農林水産技術会議