

マイワシの粗脂肪量

水揚日: 令和2年12月10日


船名: 68源福丸 漁場: 38°35'N 141°41'E(女川沖)

Lipid content of Japanese sardines

Landing day : December 10, 2020

Fishing ground : Off the coast of Onagawa, Japan

38°35'N 141°41'E



No.	体長cm Standard length	体重g Body weight	粗脂肪量% Lipid content	No.	体長cm Standard length	体重g Body weight	粗脂肪量% Lipid content
1	19.8	98.6	18.9	11	12.3	20.4	14.0
2	22.4	140.7	19.5	12	13.6	29.7	12.7
3	16.7	53.2	11.5	13	12.1	20.6	10.9
4	13.3	27.6	10.9	14	12.4	23.5	17.1
5	15.4	38.8	8.4	15	13.3	28.3	12.1
6	12.9	23.0	11.5	16	13.3	26.6	17.1
7	13.2	26.3	12.7	17	12.8	22.9	12.1
8	13.8	27.1	10.3	18	13.1	24.1	9.6
9	15.6	41.9	15.8	19	12.3	19.4	9.0
10	15.3	42.6	16.4	20	12.7	21.9	9.6

千葉県水産総合研究センター銚子分室 TEL 0479-24-9796

Chiba Prefectural Fisheries Reserch Center

千葉県農林水産技術会議