

マイワシの粗脂肪量

水揚日: 令和3年6月7日


船名: 33 全徳丸 漁場: 35°29'N 140°55'E(九十九里沖)

Lipid content of Japanese sardines

Landing day : June 7, 2021

Fishing ground : Off the coast of Kujukuri, Japan

35°29'N 140°55'E



No.	体長cm Standard length	体重g Body weight	粗脂肪量% Lipid content	No.	体長cm Standard length	体重g Body weight	粗脂肪量% Lipid content
1	23.3	173.3	15.2	11	19.4	102.3	14.6
2	21.7	130.0	7.8	12	19.8	105.5	7.8
3	21.2	125.6	7.2	13	20.6	102.3	11.5
4	20.7	116.2	16.4	14	20.1	104.1	10.3
5	19.9	109.5	17.1	15	19.7	88.3	10.3
6	20.9	119.2	17.1	16	19.6	102.8	14.6
7	20.8	114.3	9.6	17	19.1	92.4	14.0
8	20.3	118.4	14.0	18	18.7	82.4	5.3
9	19.6	100.5	15.2	19	18.7	85.7	9.6
10	19.8	105.2	18.9	20	18.8	91.1	14.0

千葉県水産総合研究センター銚子分室 TEL 0479-24-9796

Chiba Prefectural Fisheries Reserch Center

千葉県農林水産技術会議