

マイワシの粗脂肪量

水揚日: 令和2年3月16日


船名: 56波一丸 漁場: 36°33'N 140°52'E(日立沖)

Lipid content of Japanese sardines

Landing day : March 16, 2020

Fishing ground : Off the coast of Hitachi, Japan

36°33'N 140°52'E



No.	体長cm Standard length	体重g Body weight	粗脂肪量% Lipid content	No.	体長cm Standard length	体重g Body weight	粗脂肪量% Lipid content
1	19.9	87.6	3.5	11	15.2	39.1	4.7
2	19.4	69.9	5.9	12	15.6	43.1	4.1
3	18.9	67.7	6.6	13	14.8	34.6	9.6
4	19.2	77.6	10.3	14	14.9	37.7	10.3
5	15.0	37.4	2.9	15	15.5	39.8	3.5
6	15.1	36.2	5.3	16	14.6	35.1	2.9
7	15.7	48.3	6.6	17	13.9	30.1	6.6
8	15.6	46.0	8.4	18	15.6	39.3	5.9
9	16.3	50.0	9.0	19	14.3	30.1	4.7
10	14.4	33.3	0.1	20	14.7	34.0	4.1

千葉県水産総合研究センター銚子分室 TEL 0479-24-9796

Chiba Prefectural Fisheries Reserch Center

千葉県農林水産技術会議