

# マイワシの粗脂肪量

水揚日:令和2年3月2日


船名:35開運丸 漁場:36°40'N 141°04'E(日立沖)

Lipid content of Japanese sardines

Landing day : March 2, 2020

Fishing ground : Off the coast of Hitachi, Japan

36°40'N 141°04'E



No.	体長cm	体重g	粗脂肪量%	No.	体長cm	体重g	粗脂肪量%
	Standard length	Body weight	Lipid content		Standard length	Body weight	Lipid content
1	19.0	75.5	2.9	11	14.8	35.0	4.7
2	17.9	58.7	3.5	12	14.8	37.4	5.9
3	16.0	49.1	5.3	13	15.0	39.4	5.3
4	15.3	38.9	5.9	14	14.0	29.1	6.6
5	13.9	31.1	7.2	15	14.5	38.0	15.8
6	14.6	33.8	7.2	16	14.1	29.6	7.2
7	15.1	39.9	4.7	17	13.3	25.3	5.3
8	16.1	44.7	7.8	18	14.0	31.0	3.5
9	14.4	37.2	14.6	19	13.4	25.9	6.6
10	14.0	32.2	0.1	20	11.7	17.1	5.3

千葉県水産総合研究センター銚子分室 TEL 0479-24-9796

Chiba Prefectural Fisheries Reserch Center

千葉県農林水産技術会議