

# マイワシの粗脂肪量

水揚日: 令和2年4月6日


船名: 38浜平丸 漁場: 34°30'N 138°45'E (石廊崎沖)

Lipid content of Japanese sardines

Landing day : April 6, 2020

Fishing ground : Off the coast of Irozaki, Japan

34°30'N 138°45'E



No.	体長cm Standard length	体重g Body weight	粗脂肪量% Lipid content	No.	体長cm Standard length	体重g Body weight	粗脂肪量% Lipid content
1	20.4	88.4	21.4	11	17.5	50.7	7.8
2	21.1	98.2	9.0	12	17.4	56.6	9.6
3	21.1	103.4	23.2	13	17.0	50.6	5.3
4	21.1	110.9	29.4	14	17.6	56.5	4.7
5	20.6	80.0	10.3	15	18.4	63.6	18.3
6	20.0	81.1	16.4	16	19.0	62.3	6.6
7	22.6	104.5	19.5	17	20.0	84.8	21.4
8	20.6	89.9	22.0	18	19.8	75.4	7.8
9	21.1	94.0	17.7	19	20.2	78.9	23.2
10	17.8	56.4	15.8	20	20.2	79.5	10.3

千葉県水産総合研究センター銚子分室 TEL 0479-24-9796

Chiba Prefectural Fisheries Reserch Center

千葉県農林水産技術会議