

マイワシの粗脂肪量

水揚日: 令和2年5月25日


船名: 78 稻荷丸 漁場: 35°40'N 141°05'E (犬吠埼沖)

Lipid content of Japanese sardines

Landing day : May 25, 2020

Fishing ground : Off the coast of Inubosaki, Japan

35°40'N 141°05'E



No.	体長cm Standard length	体重g Body weight	粗脂肪量% Lipid content	No.	体長cm Standard length	体重g Body weight	粗脂肪量% Lipid content
1	22.0	142.8	23.2	11	16.8	56.2	4.7
2	20.9	117.5	17.7	12	16.6	54.2	6.6
3	22.2	131.0	14.6	13	17.7	65.2	5.3
4	19.1	81.9	7.8	14	17.1	55.4	5.9
5	18.1	69.7	7.8	15	16.6	53.7	5.9
6	20.9	95.2	5.9	16	16.8	54.0	5.3
7	17.3	66.3	8.4	17	17.0	56.1	6.6
8	18.7	79.1	9.6	18	16.6	51.6	6.6
9	17.6	62.8	4.7	19	17.1	59.0	4.7
10	16.9	55.8	9.0	20	16.5	51.8	5.9

千葉県水産総合研究センター銚子分室 TEL 0479-24-9796

Chiba Prefectural Fisheries Reserch Center

千葉県農林水産技術会議