

マイワシの粗脂肪量

水揚日:令和6年1月30日


船名:8 伊東丸 漁場:35° 35' N 140° 54' E(外川南南東沖)

Lipid content of Japanese sardines

Landing day :January 30, 2024

Fishing ground : Off the coast of Tokawa, Japan

35° 35' N 140° 54' E



No.	体長cm Body length	体重g Body weight	粗脂肪量% Lipid content	No.	体長cm Body length	体重g Body weight	粗脂肪量% Lipid content
1	22.0	127.5	23.2	11	18.9	105.8	31.3
2	22.3	134.8	20.1	12	19.1	90.9	21.4
3	20.6	115.5	28.2	13	18.6	76.8	12.7
4	20.5	97.2	12.1	14	18.5	73.9	22.0
5	19.8	96.7	20.8	15	18.7	73.7	15.2
6	19.9	82.7	14.6	16	18.2	74.4	18.3
7	19.8	99.1	22.0	17	18.0	64.8	11.5
8	18.3	75.3	19.5	18	17.3	58.4	15.2
9	18.3	85.4	25.7	19	15.7	43.3	11.5
10	19.0	85.1	20.1	20	15.6	43.3	15.8

千葉県水産総合研究センター銚子分室 TEL 0479-24-9796

Chiba Prefectural Fisheries Reserch Center

千葉県農林水産技術会議