

# マイワシの粗脂肪量

水揚日:令和6年2月1日


船名:31 御嶽丸 漁場:36° 20' N 140° 53' E(那珂湊沖)

Lipid content of Japanese sardines

Landing day :February 1, 2024

Fishing ground : Off the coast of Nakaminato, Japan

36° 20' N 140° 53' E



No.	体長cm Body length	体重g Body weight	粗脂肪量% Lipid content	No.	体長cm Body length	体重g Body weight	粗脂肪量% Lipid content
1	20.0	115.3	30.6	11	18.9	72.0	14.0
2	19.7	110.4	31.3	12	18.1	63.4	15.2
3	19.8	88.7	21.4	13	16.8	49.8	10.3
4	19.1	68.4	8.4	14	17.2	52.5	12.7
5	18.0	68.2	18.3	15	15.8	42.0	9.6
6	18.0	70.4	17.7	16	16.4	47.4	14.0
7	18.5	67.4	13.4	17	15.9	39.7	5.9
8	18.7	67.9	9.0	18	14.8	33.1	9.0
9	17.8	67.7	12.7	19	15.6	38.6	8.4
10	18.2	74.4	16.4	20	14.6	29.3	5.3

千葉県水産総合研究センター銚子分室 TEL 0479-24-9796

Chiba Prefectural Fisheries Reserch Center

千葉県農林水産技術会議