

マサバの粗脂肪量

水揚日: 令和2年3月16日


船名: 88新丸 漁場: 36°31'N 140°51'E (日立沖)

Lipid content of Chub mackerels

Landing day : March 16, 2020

Fishing ground : Off the coast of Hitachi, Japan

36°31'N 140°51'E



No.	尾叉長cm Fork length	体重g Body weight	粗脂肪量% Lipid content	No.	尾叉長cm Fork length	体重g Body weight	粗脂肪量% Lipid content
1	30.7	271.2	10.9	11	26.2	169.5	9.4
2	26.7	168.3	9.9	12	27.2	177.1	8.9
3	26.8	186.7	8.9	13	27.6	223.4	12.5
4	26.9	170.5	11.4	14	25.9	148.1	11.4
5	24.1	129.9	10.9	15	24.8	146.1	10.9
6	24.4	121.6	12.5	16	23.6	121.9	10.4
7	26.1	158.0	10.9	17	23.5	111.4	13.5
8	26.5	169.1	9.4	18	24.3	124.6	11.4
9	27.7	185.2	8.4	19	24.5	128.5	13.0
10	24.2	141.8	13.0	20	27.3	179.8	9.4

千葉県水産総合研究センター銚子分室 TEL 0479-24-9796

Chiba Prefectural Fisheries Reserch Center

千葉県農林水産技術会議