

マサバの粗脂肪量

水揚日: 令和2年3月2日


船名: 32海栄丸 漁場: 36°45'N 141°07'E(日立沖)

Lipid content of Chub mackerels

Landing day : March 2, 2020

Fishing ground : Off the coast of Hitachi, Japan

36°45'N 141°07'E



No.	尾叉長cm Fork length	体重g Body weight	粗脂肪量% Lipid content	No.	尾叉長cm Fork length	体重g Body weight	粗脂肪量% Lipid content
1	36.2	514.6	8.9	11	26.2	164.4	8.4
2	33.7	445.5	8.4	12	27.2	178.2	11.4
3	29.4	251.5	13.0	13	28.1	215.6	11.4
4	30.0	240.1	10.4	14	22.6	102.4	8.9
5	28.0	193.9	9.4	15	23.4	121.0	12.5
6	27.8	208.2	10.4	16	25.7	144.4	10.9
7	26.4	171.2	9.9	17	23.0	109.6	11.4
8	27.3	194.5	10.9	18	23.4	110.3	9.9
9	27.1	191.1	12.5	19	24.7	128.3	9.4
10	27.6	197.0	9.4	20	21.5	90.3	12.5

千葉県水産総合研究センター銚子分室 TEL 0479-24-9796

Chiba Prefectural Fisheries Reserch Center

千葉県農林水産技術会議