

マサバの粗脂肪量

水揚日: 令和2年3月6日


船名: 33清勝丸 漁場: 33°38'N 136°12'E (熊野灘)

Lipid content of Chub mackerels

Landing day : March 6, 2020

Fishing ground : Off the coast of Kumano, Japan

33°38'N 136°12'E



No.	尾叉長cm Fork length	体重g Body weight	粗脂肪量% Lipid content	No.	尾叉長cm Fork length	体重g Body weight	粗脂肪量% Lipid content
1	33.1	472.6	16.0	11	32.2	387.4	11.4
2	34.1	464.6	15.5	12	31.2	376.0	17.5
3	32.0	376.0	18.0	13	33.7	483.0	16.0
4	34.2	448.7	9.4	14	32.5	372.7	15.0
5	32.3	433.7	19.0	15	33.2	428.9	14.0
6	35.6	507.1	9.4	16	32.3	413.3	14.0
7	34.2	503.9	12.5	17	30.7	344.3	17.0
8	31.6	364.2	16.5	18	31.5	348.3	10.9
9	31.7	323.9	9.9	19	31.0	330.3	10.4
10	31.3	368.4	17.5	20	29.2	220.3	10.4

千葉県水産総合研究センター銚子分室 TEL 0479-24-9796

Chiba Prefectural Fisheries Reserch Center

千葉県農林水産技術会議