

マサバの粗脂肪量

水揚日: 令和2年2月3日


船名: 62 石田丸 漁場: 36°30'N 140°55'E (日立沖)

Lipid content of Chub mackerels

Landing day : February 3, 2020

Fishing ground : Off the coast of hitachi, Japan

35°51'N 141°03'E



No.	尾叉長cm Fork length	体重g Body weight	粗脂肪量% Lipid content	No.	尾叉長cm Fork length	体重g Body weight	粗脂肪量% Lipid content
1	31.8	347.7	24.6	11	28.9	263.7	16.5
2	33.1	452.1	23.1	12	32.0	362.6	16.0
3	34.6	447.4	18.5	13	29.5	261.5	10.9
4	33.8	399.8	13.0	14	31.1	307.6	14.5
5	32.6	434.4	23.1	15	30.0	308.0	20.0
6	31.4	408.3	24.6	16	28.6	237.3	12.5
7	31.7	355.8	17.0	17	29.9	264.3	14.5
8	29.4	292.9	19.5	18	29.5	274.4	15.5
9				19	28.9	239.2	20.5
10	29.6	267.4	14.5	20	33.3	413.1	14.0

千葉県水産総合研究センター銚子分室 TEL 0479-24-9796

Chiba Prefectural Fisheries Reserch Center

千葉県農林水産技術会議