

サンマの粗脂肪量

水揚日:令和2年10月21日


船名:36欣栄丸 漁場:40°20'N, 147°10'E(青森県東沖)

Lipid content of sauries

Landing day : October 21, 2020

Fishing ground : Off the east coast of Aomori, Japan

40°20'N 147°10'E



No.	体長cm Standard length	体重g Body weight	粗脂肪量% Lipid content	No.	体長cm Standard length	体重g Body weight	粗脂肪量% Lipid content
1	31.4	118.1	10.0	11	29.8	109.6	15.1
2	31.0	119.9	14.5	12	29.1	107.6	7.7
3	31.3	124.0	14.5	13	29.7	95.9	10.0
4	30.4	126.6	15.1	14	28.5	100.9	16.8
5	30.2	115.8	8.3	15	28.9	112.5	15.7
6	29.8	118.7	16.2	16	29.4	103.8	9.4
7	30.6	125.9	16.8	17	29.5	107.9	14.5
8	30.6	121.1	14.5	18	29.7	122.3	16.2
9	29.2	105.1	16.2	19	28.9	96.9	5.5
10	28.5	83.6	9.4	20	27.9	88.3	7.2

千葉県水産総合研究センター銚子分室 TEL 0479-24-9796

Chiba Prefectural Fisheries Reserch Center

千葉県農林水産技術会議